COVID-19 Vaccine, Testing and Testing-Related Services Codes

COVID-19 and COVID-19-related Diagnosis Codes

Updated May 4, 2022

(COVID-19 vaccine, testing, and test-related procedure codes are billable for Uninsured Individuals with one or more of the diagnosis codes contained in this chart.)

ICD-10 Diagnosis Code	Code Description	Code Effective Date
B34.2	Coronavirus infection, unspecified	10/01/15
B97.21	SARS-associated coronavirus as the cause of diseases classified elsewhere	10/01/15
J12.81	Pneumonia due to SARS-associated coronavirus	10/01/15
J12.89	Other viral pneumonia	10/01/15
J20.8	Acute bronchitis due to other specified organisms	10/01/15
J22	Unspecified acute lower respiratory infection	10/01/15
J40	Bronchitis, not specified as acute or chronic	10/01/15
J80	Acute respiratory distress syndrome	10/01/15
J98.8	Other specified respiratory disorders	10/01/15
R05	Cough	10/01/15
R05.1	Acute cough	10/01/21
R05.9	Cough, unspecified	10/01/21
R06.02	Shortness of breath	10/01/15
R50.9	Fever, unspecified	10/01/15
U07.1	An emergency ICD-10 code of 'U07.1 COVID-19, virus identified' is assigned to a disease diagnosis of COVID-19 confirmed by laboratory testing.	04/01/21
Z03.818	Concern about possible exposure, ruled out by evaluation- Z03.818 Encounter for observation for suspected exposure to other biological agents ruled out.	10/01/15
Z11.52	Encounter for screening for COVID-19	01/01/21
Z11.59	Encounter for screening for other viral diseases	10/01/15

MaineCare COVID-19 Billing Codes

Z20.822	Contact with and (suspected) exposure to COVID-19	01/01/21
Z20.828	Exposure confirmed- Z20.828 Contact with and (suspected) exposure to other viral communicable diseases	10/01/15
Z23	Encounter for Immunization	10/01/15

COVID	0-19 Vaccine Cod	les			
CPT & HCPC Codes	Revenue Codes	Code Description	MaineCare Effective Date	Uninsured Coverage Effective Date	MaineCare End Date
91300	0636	Pfizer-BioNTech- Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3mL dosage, diluent reconstituted, for intramuscular use	12/11/20	03/11/21	
91301	0636	Moderna- Severe acute respiratory syndrome coronavirus 2 (SARS-CoV2) (Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 100 mcg/0.5mL dosage, for intramuscular use	12/18/20	03/11/21	
91303	0636	Johnson and Johnson- Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5mL dosage, for intramuscular use	02/27/21	03/11/21	04/12/21
91303	0636	Johnson and Johnson- Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5mL dosage, for intramuscular use	02/27/21	04/23/21	
91305	0636	Pfizer- Severe acute respiratory syndrome coronavirus 2 (SARS-CoV2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, trissucrose formulation, for intramuscular use	01/03/22	01/03/22	
91306	0636	Moderna- Severe acute respiratory syndrome coronavirus 2 (SARS-CoV2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, for intramuscular use	10/20/21	10/20/21	

		Pfizer-BioNTech- Severe acute respiratory syndrome coronavirus 2 (SARS-			
		CoV2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike			
		protein, preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-			
91307	0636	sucrose formulation, for intramuscular use	10/29/21	10/29/21	
71307	0030	<u>'</u>	10/27/21	10/27/21	
		Moderna-Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,	00/00/00	00/00/00	
91309	0636	preservative free, 50 mcg/0.5 mL dosage, for intramuscular use	03/29/22	03/29/22	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
0001A	0771	preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; first dose	12/11/20	03/11/21	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(Coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
0002A	0771	preservative free, 30 mcg/0.3mL dosage, diluent reconstituted; second dose	12/11/20	03/11/21	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
0003A	0771	preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted: third dose	08/12/21	08/12/21	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
0004A	0771	preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted: booster dose	9/22/21	9/22/21	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
0051A	0771	preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; first dose	01/03/22	01/03/22	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
		preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; second			
0052A	0771	dose	01/03/22	01/03/22	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
		preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; third			
0053A	0771	dose	01/03/22	01/03/22	

		Pfizer-BioNTech- Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
		preservative free, 30 mcg/0.3 mL dosage, tris-sucrose formulation; booster			
0054A	0771	dose	01/03/22	01/03/22	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
		preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose			
0071A	0771	formulation: first dose	10/29/21	10/29/21	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
		preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose			
0072A	0771	formulation: second dose	10/29/21	10/29/21	
		Pfizer-BioNTech- Immunization administration by intramuscular injection			
		of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
		(coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein,			
		preservative free, 10 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose			
0073A	0771	formulation; third dose	01/03/22	01/03/22	
		Moderna- Immunization administration by intramuscular injection of severe			
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus			
		disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free,	10/10/20		
0011A	0771	100 mcg/0.5mL dosage; first dose	12/18/20	03/11/21	
		Moderna- Immunization administration by intramuscular injection of severe			
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus			
00124	0771	disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free,	12/10/20	00/11/01	
0012A	0771	100 mcg/0.5mL dosage; second dose	12/18/20	03/11/21	
		Moderna- Immunization administration by intramuscular injection of severe			
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus			
		disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free,			
0013A	0771	100 mcg/0.5 mL dosage; third dose	08/12/21	08/12/21	
		Moderna- Immunization administration by intramuscular injection of severe			
		acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus			
		disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free,			
0064A	0771	50 mcg/0.25 mL dosage, booster dose	10/20/21	10/20/21	

		Moderna- Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, preservative free,			
0094A	0771	50 mcg/0.5 mL dosage, booster dose	03/29/22	03/29/22	
0031A	0771	Johnson and Johnson- Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5mL dosage, single dose	02/27/21	03/11/21	04/12/21
0031A	0771	Johnson and Johnson- Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5mL dosage, single dose	04/23/21	04/23/21	
0034A	0771	Johnson and Johnson- Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5x1010 viral particles/0.5 mL dosage; booster dose	10/20/21	10/20/21	
M0201	0771	Additional payment for administering the COVID-19 vaccine to certain Medicare patients in their homes.	08/24/21	08/24/21	
99429	0510, 0513, 0514, 0515, 0516, 0517, 0519	COVID-19 vaccine counseling for children less than 21 years old when the vaccine is not delivered.	04/01/2021	04/01/2021	

Testing and Testing Related Services Codes (COVID-19 testing codes are bold.)						
CPT &				Uninsured Coverage		
HCPC	Revenue		Code Effective	Effective	Code End	
Codes	Codes	Code Description	Date	Date	Date	

71045	0320, 0324	Radiologic examination, chest; single view	01/01/18	03/18/20
71046	0320, 0324	Radiologic examination, chest; 2 views	01/01/18	03/18/20
	0350, 0352,			
71250	0359	Computed tomography, thorax; without contrast material	01/01/79	03/18/20
		Basic metabolic panel (Calcium, ionized) This panel must include the		
		following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374)		
	0300, 0301,	Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132)		
80047	0309	Sodium (84295) Urea Nitrogen (BUN) (84520)	01/01/08	03/18/20
		Hepatic function panel This panel must include the following: Albumin		
		(82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase,		
	0300, 0301,	alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT)		
80076	0309	(SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)	01/01/00	03/18/20
00.550	0300, 0301,		04/04/50	00/10/00
82550	0309	Creatine kinase (CK), (CPK); total	01/01/79	03/18/20
00615	0300, 0301,		01/01/70	02/10/20
83615	0309	Lactate dehydrogenase (LD), (LDH);	01/01/79	03/18/20
0.41.45	0300, 0301,	Duranta' (and in (DCT))	01/01/10	02/19/20
84145	0309	Procalcitonin (PCT)	01/01/10	03/18/20
84478	0300, 0301, 0309	Triclesconides	01/01/70	03/18/20
04478	0309, 0301,	Triglycerides	01/01/79	05/18/20
84484	0300, 0301,	Troponin, quantitative	01/01/97	03/18/20
04404	0309, 0305,	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and	01/01/97	03/18/20
85025	0300, 0303,	platelet count) and automated differential WBC count	01/01/87	03/18/20
03023	0300, 0305,	platelet count) and automated differential wide count	01/01/07	03/18/20
85347	0300, 0303,	Coagulation time; activated	01/01/79	03/18/20
33317	0300, 0305,	Congulation time, went tuted	01/01/19	35, 15, 25
85379	0309	Fibrin degradation products, D-dimer; quantitative	01/01/93	03/18/20
	0300, 0305,		0 = . 0 = . 7 0	
85384	0309	Fibrinogen; activity	01/01/93	03/18/20
	0300, 0305,			
85390	0309	Fibrinolysins or coagulopathy screen, interpretation and report	01/01/79	03/18/20
	0300, 0305,			
85576	0309	Platelet, aggregation (in vitro), each agent	01/01/79	03/18/20
	0300, 0305,			
85610	0309	Prothrombin time;	01/01/79	03/18/20

	0300, 0302,				
86141	0309	C-reactive protein; high sensitivity (hsCRP)	01/01/02	03/18/20	
	0300, 0302,	Immunoassay for infectious agent antibody(ies), qualitative or			
86318	0309	semiquantitative, single step method (eg, reagent strip);	01/01/89	03/18/20	
		Immunoassay for infectious agent antibody(ies), qualitative or			
		semiquantitative, single step method (eg, reagent strip); severe acute			
	0300, 0302,	respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease			
86328	0309	[COVID-19])	04/10/20	04/10/20	
		Neutralizing antibody, severe acute respiratory syndrome coronavirus 2			
86408	0302, 0310	(SARS-CoV-2) (Coronavirus disease [COVID-19]); screen	08/10/20	08/10/20	
		Neutralizing antibody, severe acute respiratory syndrome coronavirus 2			
86409	0302, 0310	(SARS-CoV-2) (Coronavirus disease [COVID-19]); titer	08/10/20	08/10/20	
		Severe acute respiratory syndrome coronavirus 2 (SARSCoV-2)			
86413	0302, 0310	(Coronavirus disease [COVID-19]) antibody, quantitative	09/08/20	09/08/20	
	0300, 0302,				
86602	0309	Antibody; actinomyces	01/01/93	03/18/20	
	0300, 0302,				
86710	0309	Antibody; influenza virus	01/01/93	03/18/20	
	0300, 0302,	Antibody; severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
86769	0309	(Coronavirus disease [COVID-19])	04/10/20	04/10/20	
		Infectious agent antigen detection by immunoassay technique, (eg, enzyme			
		immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA],			
		fluorescence immunoassay [FIA], immunochemiluminometric assay			
	0300, 0306,	[IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome			
87426	0309	coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19])	06/25/20	06/25/20	
		[Infectious agent antigen detection by immunoassay technique, (eg, enzyme			
		immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA],			
		fluorescence immunoassay [FIA], immunochemiluminometric assay			
		[IMCA]) qualitative or semiquantitative; severe acute respiratory syndrome			
		coronavirus (eg, SARS-CoV, SARS-CoV-2 [COVID-19]) and influenza			
87428	0310	virus types A and B].	10/06/20	10/06/20	
		Infectious agent detection by nucleic acid (DNA or RNA); influenza virus,			
		for multiple types or sub-types, includes multiplex reverse transcription,			
	0300, 0306,	when performed, and multiplex amplified probe technique, first 2 types or			
87502	0309	sub-types	01/01/11	03/18/20	

		Infectious agent detection by nucleic acid (DNA or RNA); severe acute			
		respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease			
87635	0310	[COVID-19]), amplified probe technique	03/13/20	03/18/20	
		Infectious agent detection by nucleic acid (DNA or RNA); severe acute			
		respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease			
		[COVID-19]) and influenza virus types A and B, multiplex amplified probe			
87636	0310	technique	10/06/20	10/06/20	
		Infectious agent detection by nucleic acid (DNA or RNA); severe acute			
		respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease			
		[COVID-19]), influenza virus types A and B, and respiratory syncytial			
87637	0310	virus, multiplex amplified probe technique	10/06/20	10/06/20	
		Updated Descriptor 10/06/2020: Infectious agent antigen detection by			
		immunoassay with direct optical (ie, visual) observation; severe acute			
		respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease			
87811	0310	[COVID-19])	10/06/20	10/06/20	
		Electrocardiogram, routine ECG with at least 12 leads; with interpretation	04/04/=0	00/10/20	
93000	0730	and report	01/01/79	03/18/20	
		Electrocardiogram, routine ECG with at least 12 leads; tracing only, without	04/04/=0		
93005	0730	interpretation and report	01/01/79	03/18/20	
		External electrocardiographic recording up to 48 hours by continuous			
		rhythm recording and storage; includes recording, scanning analysis with			
02224	0721	report, review and interpretation by a physician or other qualified health	01/01/00	02/10/20	
93224	0731	care professional	01/01/90	03/18/20	
		External electrocardiographic recording up to 48 hours by continuous			
02225	0720 0721	rhythm recording and storage; recording (includes connection, recording,	01/01/00	02/19/20	
93225	0730, 0731	and disconnection)	01/01/90	03/18/20	
02226	0720 0721	External electrocardiographic recording up to 48 hours by continuous	01/01/00	02/19/20	
93226	0730, 0731	rhythm recording and storage; scanning analysis with report	01/01/90	03/18/20	
	0521 0721	External electrocardiographic recording up to 48 hours by continuous			
93227	0521, 0731,	rhythm recording and storage; review and interpretation by a physician or	01/01/90	02/19/20	
93221	0985,	other qualified health care professional	01/01/90	03/18/20	
		External mobile cardiovascular telemetry with electrocardiographic			
		recording, concurrent computerized real time data analysis and greater than			
		24 hours of accessible ECG data storage (retrievable with query) with ECG triggered and patient selected events transmitted to a remote attended			
		surveillance center for up to 30 days; review and interpretation with report			
93228	0985	by a physician or other qualified health care professional	01/01/09	03/18/20	
73440	U20J	by a physician of other quanties health care professional	01/01/09	03/16/20	

External mobile cardiovascular telemetry with electrocardiographic recording, concurrent computerized real time data analysis and greater than 24 hours of accessible ECG data storage (retrievable with query) with ECG triggered and patient selected events transmitted to a remote attended surveillance center for up to 30 days; technical support for connection and patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional or an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion 10/10/108 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment service provided within the previous 7 days nor leading to an assessment and management service provided within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the next 24 hours or soonest available appointment; 12-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time du						
24 hours of accessible ECG data storage (retrievable with query) with ECG triggered and patient selected events transmitted to a remote attended surveillance center for up to 30 days; technical support for connection and patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional of an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion on 01/01/08 03/18/20						
triggered and patient selected events transmitted to a remote attended surveillance center for up to 30 days; technical support for connection and patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion O450, 0459, 0459, 0529, o529, o529, o529, o529, o520, o529, o520, o529 P8966 O60 Telephone assessment and management service provided by a qualified nonphysician health the previous 7 days nor leading to an assessment and management service provided within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion O450, 0459, o520, o529, o529, o520, o520, o529, o520, o529, o520,						
surveillance center for up to 30 days; technical support for connection and patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the next 24 hours or soonest available appointment service prorecdure within the next 24 hours or soonest available appointment service prorecdure within the next 24 hours or soonest available appointment service prorecdure within the next 24 hours or soonest available appointment service prorecdure within the next 24 hours or soonest available appointment service prorecdure within the next 24 hours or soonest available app						
patient instructions for use, attended surveillance, analysis and transmission of daily and emergent data reports as prescribed by a physician or other qualified health care professional Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service are procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 1-120 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 1-20 minutes Qualified nonphysician health care professional online digital assessment and management for days; 21 o						
93229 0732 qualified health care professional 01/01/09 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/01/01/01/01/01/01/01/01/01/01/01/0						
93229 0732 qualified health care professional Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion 01/01/08 03/18/20						
Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 01/01/21 01/01/21 01/01/21 0450, 0459, 0459, 0450, 0459, 0450, 0459, 0450, 0459, 0450, 0459, 0450, 0459, 0450, 0459, 0450, 0459, 0450, 0459, 0450, 04						
nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an	93229	0732		01/01/09	03/18/20	
guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service opprovedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional online digital assessment and management service provided by a qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes						
9896 0450, 0459, 0520, 0529, 0529, 0529, 0529, 0520, 0529, 0529, 0520, 0520, 0						
98966 0960 management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or provided within the previous 7 days nor leading to an assessment and management service or provided within the previous 7 days nor leading to an assessment and management service or provided within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/						
98966 0960 available appointment; 5-10 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/2		1 ' '				
Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/		1 ' '				
nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 01/01/21 University of time during the 7 days; 21 or more minutes 01/01/21 01/01/21 University of the during the 7 days; 21 or more minutes 01/01/21 01/01/21 University of the during the 7 days; 21 or more minutes 01/01/21 University of the during the 7 days; 21 or more minutes 01/01/21 University of the during the 7 days; 21 or more minutes 01/01/21 University of the during the 7 days; 21 or more minutes 01/01/21 University of the during the 7 days; 21 or more minutes 01/01/21 University of the during the 7 days; 21 or more minutes 01/01/21 University of the office to a 01/01/21 University of the office to a 01/01/21 Univ	98966	0960		01/01/08	03/18/20	
guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided by a qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01						
0450, 0459, 0520, 0529, provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a						
0520, 0529, management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a						
98967 0960 available appointment; 11-20 minutes of medical discussion 01/01/08 03/18/20 Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0520, 0529 time during the 7 days; 11-20 minutes 01/01/21 01/01/21 01/01/21 01/01/21 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0459, and management, for an established patient, for up to 7 days, cumulative of 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 0450, 045		1 '	1 ,			
Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a		0520, 0529,				
nonphysician health care professional to an established patient, parent, or guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a	98967	0960		01/01/08	03/18/20	
guardian not originating from a related assessment and management service provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes O1/01/21 Handling and/or conveyance of specimen for transfer from the office to a						
0450, 0459, provided within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a			nonphysician health care professional to an established patient, parent, or			
0520, 0529, management service or procedure within the next 24 hours or soonest available appointment; 21-30 minutes of medical discussion Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a			guardian not originating from a related assessment and management service			
98968 0960 available appointment; 21-30 minutes of medical discussion 01/01/08 03/18/20 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 0450, 0459, 0529 time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 0450, 0459, 0459, and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a		0450, 0459,	provided within the previous 7 days nor leading to an assessment and			
Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes O450, 0459, 98971 0520, 0529 Under time during the 7 days; 11-20 minutes O450, 0459, Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes O450, 0459, Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes O520, 0529 time during the 7 days; 21 or more minutes O1/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a		0520, 0529,	management service or procedure within the next 24 hours or soonest			
98970 0520, 0529 and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes O450, 0459, O459, O529 time during the 7 days; 11-20 minutes O450, 0459, O459, O459, O459, O459, O459, O450, 0459, O450, O450, O459, O450, O450, O450, O459, O450, O4	98968	0960	available appointment; 21-30 minutes of medical discussion	01/01/08	03/18/20	
98970 0520, 0529 time during the 7 days; 5-10 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative years 98972 0520, 0529 time during the 7 days; 21 or more minutes Handling and/or conveyance of specimen for transfer from the office to a						
Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 98972 O520, 0529 Handling and/or conveyance of specimen for transfer from the office to a		0450, 0459,	and management, for an established patient, for up to 7 days, cumulative			
98971 0450, 0459, and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes 01/01/21 01/01/21 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a	98970	0520, 0529		01/01/21	01/01/21	
98971 0520, 0529 time during the 7 days; 11-20 minutes Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes O1/01/21 Handling and/or conveyance of specimen for transfer from the office to a			Qualified nonphysician health care professional online digital assessment			
Qualified nonphysician health care professional online digital assessment o450, 0459, o520, 0529 Qualified nonphysician health care professional online digital assessment and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes O1/01/21 O1/01/21 Handling and/or conveyance of specimen for transfer from the office to a		0450, 0459,	and management, for an established patient, for up to 7 days, cumulative			
98972 0450, 0459, and management, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a	98971	0520, 0529	time during the 7 days; 11-20 minutes	01/01/21	01/01/21	
98972 0520, 0529 time during the 7 days; 21 or more minutes 01/01/21 01/01/21 Handling and/or conveyance of specimen for transfer from the office to a			Qualified nonphysician health care professional online digital assessment			
Handling and/or conveyance of specimen for transfer from the office to a		0450, 0459,	and management, for an established patient, for up to 7 days, cumulative			
	98972	0520, 0529	time during the 7 days; 21 or more minutes	01/01/21	01/01/21	
00000 0200 1-1			Handling and/or conveyance of specimen for transfer from the office to a			
99000 0300 laboratory 01/01/19 03/18/20	99000	0300	laboratory	01/01/79	03/18/20	

	0456, 0510,	Office or other outpatient visit for the evaluation and management of a new			
	0511, 0512,	patient, which requires these 3 key components: a problem focused history;			
	0513, 0514,	a problem focused examination; straightforward medical decision making.			
	0515, 0516,	Counseling and/or coordination of care with other physicians, other			
	0517, 0519,	qualified health care professionals, or agencies are provided consistent with			
	0520, 0521,	the nature of the problem(s) and the patient's and/or family's needs. Usually,			
	0526, 0528,	the presenting problem(s) are self-limited or minor, typically, 10 minutes			
99201	0529, 0982	are spent face-to-face with the patient and/or family.	04/01/16	03/18/20	12/31/20
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,				
	0517, 0519,	Office or other outpatient visit for the evaluation and management of a new			
	0520, 0521,	patient, which requires a medically appropriate history and/or examination			
	0526, 0528,	and straightforward medical decision making. When using time for code			
99202	0529, 0982	selection, 15-29 minutes of total time is spent on the date of the encounter.	01/01/92	03/18/20	
	0456, 0510,	•			
	0511, 0512,				
	0513, 0514,				
	0515, 0516,				
	0517, 0519,	Office or other outpatient visit for the evaluation and management of a new			
	0520, 0521,	patient, which requires a medically appropriate history and/or examination			
	0526, 0528,	and low level of medical decision making. When using time for code			
99203	0529, 0982	selection, 30-44 minutes of total time is spent on the date of the encounter.	01/01/92	03/18/20	
	0456, 0510,	•			
	0511, 0512,				
	0513, 0514,				
	0515, 0516,				
	0517, 0519,	Office or other outpatient visit for the evaluation and management of a new			
	0520, 0521,	patient, which requires a medically appropriate history and/or examination			
	0526, 0528,	and moderate level of medical decision making. When using time for code			
99204	0529, 0982	selection, 45-59 minutes of total time is spent on the date of the encounter.	01/01/92	03/18/20	

	0456 0510				
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,				
	0517, 0519,	Office or other outpatient visit for the evaluation and management of a new			
	0520, 0521,	patient, which requires a medically appropriate history and/or examination			
	0526, 0528,	and high level of medical decision making. When using time for code			
99205	0529, 0982	selection, 60-74 minutes of total time is spent on the date of the encounter.	01/01/92	03/18/20	
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,				
	0517, 0519,	Office or other outpatient visit for the evaluation and management of an			
	0520, 0521,	established patient, that may not require the presence of a physician or other			
	0526, 0528,	qualified health care professional. Usually, the presenting problem(s) are			
99211	0529, 0982	minimal.	01/01/92	03/18/20	
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,	Office or other outpatient visit for the evaluation and management of an			
	0517, 0519,	established patient, which requires a medically appropriate history and/or			
	0520, 0521,	examination and straightforward medical decision making. When using			
	0526, 0528,	time for code selection, 10-19 minutes of total time is spent on the date of			
99212	0529, 0982	the encounter.	01/01/92	03/18/20	
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,	Office or other outpatient visit for the evaluation and management of an			
	0517, 0519,	established patient, which requires a medically appropriate history and/or			
	0520, 0521,	examination and low level of medical decision making. When using time			
	0526, 0528,	for code selection, 20-29 minutes of total time is spent on the date of the			
99213	0529, 0982	encounter.	01/01/92	03/18/20	

	0456 0510				
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,	Office or other outpatient visit for the evaluation and management of an			
	0517, 0519,	established patient, which requires a medically appropriate history and/or			
	0520, 0521,	examination and moderate level of medical decision making. When using			
	0526, 0528,	time for code selection, 30-39 minutes of total time is spent on the date of			
99214	0529, 0982	the encounter.	01/01/92	03/18/20	
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,	Office or other outpatient visit for the evaluation and management of an			
	0517, 0519,	established patient, which requires a medically appropriate history and/or			
	0520, 0521,	examination and high level of medical decision making. When using time			
	0526, 0528,	for code selection, 40-54 minutes of total time is spent on the date of the			
99215	0529, 0982	encounter.	01/01/92	03/18/20	
		Observation care discharge day management (This code is to be utilized to			
		report all services provided to a patient on discharge from outpatient			
		hospital "observation status" if the discharge is on other than the initial date			
		of "observation status." To report services to a patient designated as			
		"observation status" or "inpatient status" and discharged on the same date,			
99217	0762, 0982	use the codes for Observation or Inpatient Care Services	01/01/94	03/18/20	
		Initial observation care, per day, for the evaluation and management of a			
		patient which requires these 3 key components: A detailed or			
		comprehensive history; A detailed or comprehensive examination; and			
		Medical decision making that is straightforward or of low complexity.			
		Counseling and/or coordination of care with other physicians, other			
		qualified health care professionals, or agencies are provided consistent with			
		the nature of the problem(s) and the patient's and/or family's needs. Usually,			
		the problem(s) requiring admission to outpatient hospital "observation			
		status" are of low severity. Typically, 30 minutes are spent at the bedside			
99218	0762, 0982	and on the patient's hospital floor or unit.	01/01/93	03/18/20	

		Initial observation care, per day, for the evaluation and management of a			
		patient, which requires these 3 key components: A comprehensive history;			
		A comprehensive examination; and Medical decision making of moderate			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
		with the nature of the problem(s) and the patient's and/or family's needs.			
		Usually, the problem(s) requiring admission to outpatient hospital			
		"observation status" are of moderate severity. Typically, 50 minutes are			
99219	0762, 0982	spent at the bedside and on the patient's hospital floor or unit.	01/01/93	03/18/20	
		Initial observation care, per day, for the evaluation and management of a			
		patient, which requires these 3 key components: A comprehensive history;			
		A comprehensive examination; and Medical decision making of high			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
		with the nature of the problem(s) and the patient's and/or family's needs.			
		Usually, the problem(s) requiring admission to outpatient hospital			
		"observation status" are of high severity. Typically, 70 minutes are spent at			
99220	0762, 0982	the bedside and on the patient's hospital floor or unit.	01/01/93	03/18/20	
		Initial hospital care, per day, for the evaluation and management of a			
		patient, which requires these 3 key components: A detailed or			
		comprehensive history; A detailed or comprehensive examination; and			
		Medical decision making that is straightforward or of low complexity.			
		Counseling and/or coordination of care with other physicians, other			
		qualified health care professionals, or agencies are provided consistent with			
		the nature of the problem(s) and the patient's and/or family's needs. Usually,			
		the problem(s) requiring admission are of low severity. Typically, 30			
99221	0657, 0987	minutes are spent at the bedside and on the patient's hospital floor or unit.	01/01/92	03/18/20	
		Initial hospital care, per day, for the evaluation and management of a			
		patient, which requires these 3 key components: A comprehensive history;			
		A comprehensive examination; and Medical decision making of moderate			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
		with the nature of the problem(s) and the patient's and/or family's needs.			
		Usually, the problem(s) requiring admission are of moderate severity.			
		Typically, 50 minutes are spent at the bedside and on the patient's hospital			
99222	0657, 0987	floor or unit.	01/01/92	03/18/20	

99223	0657, 0987	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission are of high severity. Typically, 70 minutes are spent at the bedside and on the patient's hospital floor or unit.	01/01/92	03/18/20	
99224	0982, 0987	Subsequent observation care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: Problem focused interval history; Problem focused examination; Medical decision making that is straightforward or of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is stable, recovering, or improving. Typically, 15 minutes are spent at the bedside and on the patient's hospital floor or unit.	01/01/11	03/18/20	
99225	0982, 0987	Subsequent observation care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is responding inadequately to therapy or has developed a minor complication. Typically, 25 minutes are spent at the bedside and on the patient's hospital floor or unit.	01/01/11	03/18/20	
99226	0982, 0987	Subsequent observation care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: A detailed interval history; A detailed examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is unstable or has developed a significant complication or a significant new problem. Typically, 35 minutes are spent at the bedside and on the patient's hospital floor or unit.	01/01/11	03/18/20	

		Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: A problem focused interval history; A problem focused examination; Medical decision			
		making that is straightforward or of low complexity. Counseling and/or			
		coordination of care with other physicians, other qualified health care			
		professionals, or agencies are provided consistent with the nature of the			
		problem(s) and the patient's and/or family's needs. Usually, the patient is stable, recovering or improving. Typically, 15 minutes are spent at the			
99231	0657, 0987	bedside and on the patient's hospital floor or unit.	01/01/92	03/18/20	
77231	0037, 0307	Subsequent hospital care, per day, for the evaluation and management of a	01/01/92	03/10/20	
		patient, which requires at least 2 of these 3 key components: An expanded			
		problem focused interval history; An expanded problem focused			
		examination; Medical decision making of moderate complexity. Counseling			
		and/or coordination of care with other physicians, other qualified health			
		care professionals, or agencies are provided consistent with the nature of the			
		problem(s) and the patient's and/or family's needs. Usually, the patient is			
		responding inadequately to therapy or has developed a minor complication.			
99232	0657, 0987	Typically, 25 minutes are spent at the bedside and on the patient's hospital floor or unit.	01/01/92	03/18/20	
77232	0037, 0707	Subsequent hospital care, per day, for the evaluation and management of a	01/01/72	03/10/20	
		patient, which requires at least 2 of these 3 key components: A detailed			
		interval history; A detailed examination; Medical decision making of high			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
		with the nature of the problem(s) and the patient's and/or family's needs.			
		Usually, the patient is unstable or has developed a significant complication			
00222	0.55	or a significant new problem. Typically, 35 minutes are spent at the bedside	01/01/02	02/10/20	
99233	0657, 0987	and on the patient's hospital floor or unit.	01/01/92	03/18/20	
		Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history;			
		A problem focused examination; and Straightforward medical decision			
		making. Counseling and/or coordination of care with other physicians, other			
	0450, 0451,	qualified health care professionals, or agencies are provided consistent with			
	0452, 0456,	the nature of the problem(s) and the patient's and/or family's needs. Usually,			
99281	0459, 0981	the presenting problem(s) are self-limited or minor.	01/01/92	03/18/20	

		Emergency department visit for the evaluation and management of a			
		patient, which requires these 3 key components: An expanded problem			
		focused history; An expanded problem focused examination; and Medical			
		decision making of low complexity. Counseling and/or coordination of care			
		with other physicians, other qualified health care professionals, or agencies			
	0450, 0451,	are provided consistent with the nature of the problem(s) and the patient's			
	0452, 0456,	and/or family's needs. Usually, the presenting problem(s) are of low to			
99282	0459, 0981	moderate severity.	01/01/92	03/18/20	
	,	Emergency department visit for the evaluation and management of a			
		patient, which requires these 3 key components: An expanded problem			
		focused history; An expanded problem focused examination; and Medical			
		decision making of moderate complexity. Counseling and/or coordination			
		of care with other physicians, other qualified health care professionals, or			
	0450 0451				
	0450, 0451,	agencies are provided consistent with the nature of the problem(s) and the			
00202	0452, 0456,	patient's and/or family's needs. Usually, the presenting problem(s) are of	01/01/02	02/10/20	
99283	0459, 0981	moderate severity.	01/01/92	03/18/20	
		Emergency department visit for the evaluation and management of a			
		patient, which requires these 3 key components: A detailed history; A			
		detailed examination; and Medical decision making of moderate			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
		with the nature of the problem(s) and the patient's and/or family's needs.			
	0450, 0451,	Usually, the presenting problem(s) are of high severity, and require urgent			
	0452, 0456,	evaluation by the physician, or other qualified health care professionals but			
99284	0459, 0981	do not pose an immediate significant threat to life or physiologic function.	01/01/92	03/18/20	
		Emergency department visit for the evaluation and management of a			
		patient, which requires these 3 key components within the constraints			
		imposed by the urgency of the patient's clinical condition and/or mental			
		status: A comprehensive history; A comprehensive examination; and			
		Medical decision making of high complexity. Counseling and/or			
		coordination of care with other physicians, other qualified health care			
		professionals, or agencies are provided consistent with the nature of the			
	0450, 0451,	problem(s) and the patient's and/or family's needs. Usually, the presenting			
	0452, 0456,	problem(s) are of high severity and pose an immediate significant threat to			
99285	0459, 0981	life or physiologic function.	01/01/92	03/18/20	

	0000				
	0360, 0361,				
	0450, 0452,				
	0456, 0459,				
	0510, 0512,				
	0513, 0514,				
	0515, 0516,				
	0517, 0519,				
	0520, 0526,				
	0529, 0681,	Critical care, evaluation and management of the critically ill or critically			
99291	0682	injured patient; first 30-74 minutes	01/01/92	03/18/20	
77271	0360, 0361,	Injured patient, installed in injured	01/01/92	05/16/20	
	0450, 0452,				
	0456, 0459,				
	0510, 0512,				
	0513, 0514,				
	0515, 0514,				
	0517, 0519,				
	1 '	Critical core evaluation and management of the critically ill an critically			
	0520, 0526,	Critical care, evaluation and management of the critically ill or critically			
00000	0529, 0681,	injured patient; each additional 30 minutes (List separately in addition to	01/01/02	00/10/00	
99292	0682	code for primary service)	01/01/92	03/18/20	
		Domiciliary or rest home visit for the evaluation and management of a new			
		patient, which requires these 3 key components: A problem focused history;			
		A problem focused examination; and Straightforward medical decision			
		making. Counseling and/or coordination of care with other physicians, other			
		qualified health care professionals, or agencies are provided consistent with			
	0522, 0525,	the nature of the problem(s) and the patient's and/or family's needs. Usually,			
	0527, 0657,	the presenting problem(s) are of low severity. Typically, 20 minutes are			
99324	0969	spent with the patient and/or family or caregiver.	01/01/06	03/18/20	
		Domiciliary or rest home visit for the evaluation and management of a new			
		patient, which requires these 3 key components: An expanded problem			
		focused history; An expanded problem focused examination; and Medical			
		decision making of low complexity. Counseling and/or coordination of care			
		with other physicians, other qualified health care professionals, or agencies			
		are provided consistent with the nature of the problem(s) and the patient's			
	0522, 0525,	and/or family's needs. Usually, the presenting problem(s) are of moderate			
	0527, 0657,	severity. Typically, 30 minutes are spent with the patient and/or family or			
99325	0969	caregiver.	01/01/06	03/18/20	

		Domiciliary or rest home visit for the evaluation and management of a new			
		patient, which requires these 3 key components: A detailed history; A			
		detailed examination; and Medical decision making of moderate			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
	0522, 0525,	with the nature of the problem(s) and the patient's and/or family's needs.			
	0527, 0657,	Usually, the presenting problem(s) are of moderate to high severity.			
99326	0969	Typically, 45 minutes are spent with the patient and/or family or caregiver.	01/01/06	03/18/20	
		Domiciliary or rest home visit for the evaluation and management of a new			
		patient, which requires these 3 key components: A comprehensive history;			
		A comprehensive examination; and Medical decision making of moderate			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
	0522, 0525,	with the nature of the problem(s) and the patient's and/or family's needs.			
	0527, 0657,	Usually, the presenting problem(s) are of high severity. Typically, 60			
99327	0969	minutes are spent with the patient and/or family or caregiver.	01/01/06	03/18/20	
		Domiciliary or rest home visit for the evaluation and management of a new			
		patient, which requires these 3 key components: A comprehensive history;			
		A comprehensive examination; and Medical decision making of high			
		complexity. Counseling and/or coordination of care with other physicians,			
		other qualified health care professionals, or agencies are provided consistent			
		with the nature of the problem(s) and the patient's and/or family's needs.			
	0522, 0525,	Usually, the patient is unstable or has developed a significant new problem			
	0527, 0657,	requiring immediate physician attention. Typically, 75 minutes are spent			
99328	0969	with the patient and/or family or caregiver.	01/01/06	03/18/20	
		Domiciliary or rest home visit for the evaluation and management of an			
		established patient, which requires at least 2 of these 3 key components: A			
		problem focused interval history; A problem focused examination;			
		Straightforward medical decision making. Counseling and/or coordination			
		of care with other physicians, other qualified health care professionals, or			
		agencies are provided consistent with the nature of the problem(s) and the			
	0522, 0525,	patient's and/or family's needs. Usually, the presenting problem(s) are self-			
	0527, 0657,	limited or minor. Typically, 15 minutes are spent with the patient and/or			
99334	0969	family or caregiver.	01/01/06	03/18/20	

99335	0522, 0525, 0527, 0657, 0969	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent with the patient and/or family or caregiver.	01/01/06	03/18/20	
99336	0522, 0525, 0527, 0657, 0969	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed interval history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 40 minutes are spent with the patient and/or family or caregiver.	01/01/06	03/18/20	
99337	0522, 0525, 0527, 0657, 0969	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive interval history; A comprehensive examination; Medical decision making of moderate to high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent with the patient and/or family or caregiver.	01/01/06	03/18/20	
99341	0522, 0527, 0657, 0969	Home visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 20 minutes are spent face-to-face with the patient and/or family.	01/01/92	03/18/20	

99342	0522, 0527, 0657, 0969	Home visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.	01/01/92	03/18/20	
99343	0522, 0527, 0657, 0969	Home visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-to-face with the patient and/or family.	01/01/92	03/18/20	
99344	0522, 0527, 0657, 0969	Home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.	01/01/98	03/18/20	
99345	0522, 0527, 0657, 0969	Home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent face-to-face with the patient and/or family.	01/01/98	03/18/20	

99347	0522, 0527, 0657, 0969	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused interval history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self-limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.	01/01/98	03/18/20	
99348	0522, 0527, 0657, 0969	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.	01/01/98	03/18/20	
99349	0522, 0527, 0657, 0969	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed interval history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.	01/01/98	03/18/20	
99350	0522, 0527, 0657, 0969	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive interval history; A comprehensive examination; Medical decision making of moderate to high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent face-to-face with the patient and/or family.	01/01/98	03/18/20	

	0450, 0510,				
	0511, 0512,				
	0511, 0512, 0513, 0514,				
	0515, 0516,	Medical team conference with interdisciplinary team of health care			
	0513, 0510, 0517, 0519,	professionals, patient and/or family not present, 30 minutes or more;			
99367	0517, 0515, 0520, 0526	participation by physician	01/01/08	03/18/20	
77301	0320, 0320	Online digital evaluation and management service, for an established	01/01/00	03/10/20	
99421	0982	patient, for up to 7 days, cumulative time during the 7 days; 5–10 minutes	01/01/20	03/18/20	
77721	0702	Online digital evaluation and management service, for an established	01/01/20	03/10/20	
99422	0982	patient, for up to 7 days cumulative time during the 7 days; 11–20 minutes	01/01/08	03/18/20	
77722	0702	Online digital evaluation and management service, for an established	01/01/00	03/10/20	
		patient, for up to 7 days, cumulative time during the 7 days; 21 or more			
99423	0982	minutes	01/01/20	03/18/20	
77423	0702	Telephone evaluation and management service by a physician or other	01/01/20	03/10/20	
		qualified health care professional who may report evaluation and			
	0780, 0960,	management services provided to an established patient, parent, or guardian			
	0969, 0981,	not originating from a related E/M service provided within the previous 7			
	0982, 0983,	days nor leading to an E/M service or procedure within the next 24 hours or			
99441	0982, 0983,	soonest available appointment; 5-10 minutes of medical discussion	01/01/08	03/18/20	
77441	0707	Telephone evaluation and management service by a physician or other	01/01/00	03/10/20	
		qualified health care professional who may report evaluation and			
	0780, 0960,	management services provided to an established patient, parent, or guardian			
	0969, 0981,	not originating from a related E/M service provided within the previous 7			
	0982, 0983,	days nor leading to an E/M service or procedure within the next 24 hours or			
99442	0982, 0983,	soonest available appointment; 11-20 minutes of medical discussion	01/01/08	03/18/20	
99444	0967, 0966	Telephone evaluation and management service by a physician or other	01/01/08	03/16/20	
		qualified health care professional who may report evaluation and			
	0780, 0960,	management services provided to an established patient, parent, or guardian			
	0780, 0980,	not originating from a related E/M service provided within the previous 7			
	0909, 0981, 0982, 0983,	days nor leading to an E/M service or procedure within the next 24 hours or			
99443	0982, 0983, 0987, 0988	soonest available appointment; 21-30 minutes of medical discussion	01/01/15	03/18/20	
37 44 3	0510, 0520,	soonest available appointment, 21-30 initiates of medical discussion	01/01/13	03/16/20	
	0510, 0520, 0657, 0982,				
99499	0657, 0982,	Unlisted evaluation and management convice	01/01/92	03/18/20	
77477	0987	Unlisted evaluation and management service	01/01/92	03/18/20	

		Infectious disease (bacterial or viral respiratory tract infection), pathogen-			
		specific nucleic acid (DNA or RNA), 22 targets including severe acute			
		respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR,			
0202U	0310	nasopharyngeal swab, each pathogen reported as detected or not detected	05/20/20	05/20/20	
		Infectious disease (bacterial or viral respiratory tract infection), pathogen-			
		specific nucleic acid (DNA or RNA), 22 targets including severe acute			
		respiratory syndrome coronavirus 2 (SARS-CoV-2), qualitative RT-PCR,			
0223U	0310	nasopharyngeal swab, each pathogen reported as detected or not detected	06/25/20	06/25/20	
		Antibody, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)			
0224U	0310	(Coronavirus disease [COVID-19]), includes titer(s), when performed	06/25/20	06/25/20	
		Infectious disease (bacterial or viral respiratory tract infection) pathogen-			
		specific DNA and RNA, 21 targets, including severe acute respiratory			
		syndrome coronavirus 2 (SARS-CoV-2), amplified probe technique,			
		including multiplex reverse transcription for RNA targets, each analyte			
0225U	0310	reported as detected or not detected	08/10/20	08/10/20	
		Surrogate viral neutralization test (sVNT), severe acute respiratory			
		syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease [COVID-			
0226U	0310	19]), ELISA, plasma, serum	08/10/20	08/10/20	
		Infectious disease (viral respiratory tract infection), pathogen-specific RNA,			
		3 targets (severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2],			
		influenza A, influenza B), upper respiratory specimen, each pathogen			
0240U	0310	reported as detected or not detected	10/06/20	10/06/20	
		Infectious disease (viral respiratory tract infection), pathogen-specific RNA,			
		4 targets (severe acute respiratory syndrome coronavirus 2 [SARS-CoV-2],			
		influenza A, influenza B, respiratory syncytial virus [RSV]), upper			
0241U	0310	respiratory specimen, each pathogen reported as detected or not detected	10/06/20	10/06/20	
		Hospital outpatient clinic visit specimen collection for severe acute			
		respiratory syndrome coronavirus 2 (sars-cov-2) (coronavirus disease			
		[covid-19]), any specimen source, is effective for services provided on or			
C9803	0300	after March 1, 2020	03/01/20	03/01/20	
		Payment for communication technology-based services for 5 minutes or			
		more of a virtual (non-face-to-face) communication between an rural health			
		clinic (RHC) or federally qualified health center (FQHC) practitioner and			
		RHC or FQHC patient, or 5 minutes or more of remote evaluation of			
		recorded video and/or images by an RHC or FQHC practitioner, occurring			
G0071	0529	in lieu of an office visit; RHC or FQHC only	01/01/19	03/18/20	

	0456 0510				
	0456, 0510,				
	0511, 0512,				
	0513, 0514,				
	0515, 0516,				
	0517, 0519,				
	0520, 0526,	Hospital outpatient clinic visit for assessment and management of a patient;			
G0463	0529	This is the code that hospitals use instead of E&M codes 99211 - 99215	01/01/14	03/18/20	
		Remote evaluation of recorded video and/or images submitted by an			
		established patient (e.g., store and forward), including interpretation with			
		follow-up with the patient within 24 business hours, not originating from a			
		related E/M service provided within the previous 7 days nor leading to an			
		E/M service or procedure within the next 24 hours or soonest available			
G2010	0988	appointment	01/01/19	03/18/20	12/31/20
		Brief communication technology-based service, e.g., virtual check-in, by a			
		physician or other qualified health care professional who can report			
		evaluation and management services, provided to an established patient, not			
		originating from a related E/M service provided within the previous 7 days			
		nor leading to an E/M service or procedure within the next 24 hours or			
G2012	0988	soonest available appointment; 5-10 minutes of medical discussion	01/01/19	03/18/20	12/31/20
	0361, 0450,				
	0510, 0519,	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2			
G2023	0521, 0761	(SARS-CoV-2) (Coronavirus disease [COVID-19]), any specimen source	03/01/20	03/18/20	
	0361, 0450,	Specimen collection for Severe Acute Respiratory Syndrome Coronavirus 2	30, 32, 23	00, 10, 10	
	0510, 0519,	(SARS-CoV-2) (Coronavirus disease [COVID-19]) from an individual in a			
G2024	0521, 0761	SNF or by a laboratory on behalf of a HHA, any specimen source	03/01/20	03/18/20	
	100=1,0.01	Qualified non-physician healthcare professional online assessment and		00, 10, 10	
		management, for an established patient, for up to seven days, cumulative			
G2061	0969	time during the 7 days; 5–10 minutes	01/01/20	03/18/20	12/31/20
32001		Qualified non-physician healthcare professional online assessment and	01/01/20	03/10/20	12/31/20
		management service, for an established patient, for up to seven days,			
G2062	0969	cumulative time during the 7 days; 11–20 minutes	01/01/20	03/18/20	12/31/20
32002	0,0,	Qualified non-physician qualified healthcare professional assessment and	01/01/20	03/10/20	12/31/20
		management service, for an established patient, for up to seven days,			
G2063	0969	cumulative time during the 7 days; 21 or more minutes	01/01/20	03/18/20	12/31/20
02003	0707	cumulative time during the 7 days, 21 of more finitudes	01/01/20	03/16/20	12/31/20

		Remote assessment of recorded video and/or images submitted by an			
		established patient (e.g., store and forward), including interpretation with			
		follow-up with the patient within 24 business hours, not originating from a			
	0960, 0982,	related service provided within the previous 7 days nor leading to a service			
G2250	0983, 0988	or procedure within the next 24 hours or soonest available appointment	01/01/21	01/01/21	
02230	0703, 0700	Brief communication technology-based service, e.g. virtual check-in, by a	01/01/21	01/01/21	
		qualified health care professional who cannot report evaluation and			
		management services, provided to an established patient, not originating			
		from a related service provided within the previous 7 days nor leading to a			
	0960, 0982,	service or procedure within the next 24 hours or soonest available			
G2251	0983, 0988	appointment; 5-10 minutes of clinical discussion	01/01/21	01/01/21	
T1015	0521	Clinic visit/encounter, all-inclusive	01/01/21	03/18/20	
11013	0321	The 2019-Novel Coronavirus (2019-nCoV or COVID-19) Real-Time RT-	01/01/02	03/16/20	
		· · · · · · · · · · · · · · · · · · ·			
		PCR Diagnostic Panel is a molecular in vitro diagnostic test intended for			
		presumptive qualitative detection of nucleic acid from COVID-19 in both			
		upper and lower respiratory tract specimens (e.g., naso- or oropharyngeal			
110003	0200 0210	swabs, sputum, aspirates, etc.) collected from patients that meet Centers for	02/04/20	02/19/20	
U0002	0300, 0310	Disease Control and Prevention (CDC) testing criteria.	02/04/20	03/18/20	
		Infectious agent detection by nucleic acid (DNA or RNA); severe acute			
		respiratory syndrome coronavirus 2 (SARS-CoV-2) (Coronavirus disease			
T10003	0200 0210	[COVID-19]), amplified probe technique, making use of high throughput	0.4/1.4/20	0.4/1.4/20	
U0003	0300, 0310	technologies as described by CMS-2020-01-R.	04/14/20	04/14/20	
		2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any			
		technique, multiple types or subtypes (includes all targets), non-CDC,			
T10004	0200 0210	making use of high throughput technologies as described by CMS-2020-01-	0.4/4.4/2.0	0.4/1.4/20	
U0004	0300, 0310	R.	04/14/20	04/14/20	
		Infectious agent detection by nucleic acid (DNA or RNA); Severe Acute			
		Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (Coronavirus disease			
		[COVID-19]), amplified probe technique, CDC or non-CDC, making use of			
		high throughput technologies, completed within 2 calendar days from date			
		of specimen collection (list separately in addition to either HCPCS code			
U0005	0306, 0310	U0003 or U0004) as described by CMS-2020-01-R2	01/01/21	01/01/21	

COVID-19 Treatment Codes

COVID-19 Diagnosis Codes			
(COVID-19 t	reatment procedure codes are billable for Uninsured Individuals with one or more of the diagnosis codes contained in this characteristics.	rt.)	
ICD-10		Code	
Diagnosis		Effective	
Code	Code Description	Date	
U07.1	COVID-19; Use additional code to identify pneumonia or other manifestations	04/01/20	
J12.81	pneumonia due to SARS-associated coronavirus	10/01/15	
	Pneumonia due to coronavirus disease 2019; "Pneumonia due to 2019 novel coronavirus (SARS-CoV-2); Pneumonia due		
J12.82	to COVID-19"; Code first COVID-19 (U07.1)	01/01/21	
Z86.16	Personal history of COVID-19	01/01/21	

COVID-19 Monoclonal Antibody Treatment				
			MaineCare	Uninsured Coverage
Code	Revenue Codes	Code Description	Effective Date(s)	Effective Date
Eli Lilly	EUA Monoclonal Antil	oody COVID-19 Infusion Treatment		
			11/10/21-	03/11/21 -
Q0239	0636	Injection, bamlanivimab-xxxx, 700 mg	04/16/21*	04/16/21*
		Intravenous infusion, bamlanivimab-xxxx, includes infusion and post	11/10/21-	03/11/21 -
M0239	0260, 0771	administration monitoring	04/16/21*	04/16/21*
			02/09/21-	03/11/21-
Q0245	0636	Injection, bamlanivimab and etesevimab, 2100 mg	01/24/22**	01/24/22**
		Intravenous infusion, bamlanivimab and etesevimab, includes infusion and	02/09/21-	03/11/21-
M0245	0260, 0771	post administration monitoring	01/24/22**	01/24/22**
	0260, 0361, 0450,			
	0510, 0511, 0514,			
	0515, 0516, 0517,	Intravenous infusion, bamlanivimab and etesevimab, includes infusion and		
	0519, 0520, 0523,	post administration monitoring in the home or residence; this includes a		
	0526, 0529, 0920,	beneficiary's home that has been made provider-based to the hospital during	05/06/21-	05/06/21-
M0246	0940,	the covid-19 public health emergency.	01/24/22**	01/24/22**
Q0222	0636	Injection, bebtelovimab, 175 mg	02/11/22	02/11/22

		Intravenous injection, bebtelovimab, includes injection and post		
M0222	0260, 0771	administration monitoring	02/11/22	02/11/22
		Intravenous injection, bebtelovimab, includes injection and post		
		administration monitoring in the home or residence; this includes a		
		beneficiary's home that has been made provider-based to the hospital during		
M0223	0260, 0771	the covid-19 public health emergency	02/11/22	02/11/22
Regener	on EUA Monoclonal A	Antibody COVID-19 Infusion Treatment		
			7/30/2021-	07/30/21-
Q0240	0636	Injection, casirivimab and imdevimab, 600 mg	01/24/22**	01/24/22**
			11/21/20-	03/11/21-
Q0243	0636	Injection, casirivimab and imdevimab, 2400 mg	01/24/22**	01/24/22**
			06/03/21-	06/03/21-
Q0244	0636	Injection, casirivimab and imdevimab, 1200 mg	01/24/22**	01/24/22**
		Intravenous infusion or subcutaneous injection, casirivimab and imdevimab		
		includes infusion or injection, and post administration monitoring,	07/30/21-	07/30/21-
M0240	0260, 0636	subsequent repeat doses	01/24/22**	01/24/22**
		Intravenous infusion or subcutaneous injection, casirivimab and imdevimab		
		includes infusion or injection, and post administration monitoring in the		
		home or residence, this includes a beneficiary's home that has been made		
		provider-based to the hospital during the covid-19 public health emergency,	07/30/21-	07/30/21-
M0241	0260, 0636	subsequent repeat doses	01/24/22**	01/24/22**
		Intravenous infusion, casirivimab and imdevimab includes infusion and post		
		administration monitoring	11/01/00	02/11/01
N 400 40	0060 0771		11/21/20-	03/11/21-
M0243	0260, 0771		01/24/22**	01/24/22**
	0260, 0361, 0450,			
	0510, 0511, 0514,	Technologies and included and included in the desired in the in-		
	0515, 0516, 0517,	Intravenous infusion, casirivimab and imdevimab includes infusion and post		
	0519, 0520, 0523,	administration monitoring in the home or residence; this includes a	05/06/01	05/06/21
N 100 1 1	0526, 0529, 0920,	beneficiary's home that has been made provider-based to the hospital during	05/06/21-	05/06/21-
M0244	0940,	the covid-19 public health emergency.	01/24/22**	01/24/22**
GlaxoSi	nithKline EUA Monoc	clonal Antibody COVID-19 Infusion Treatment	05/07/01	05/06/01
00047	0626		05/26/21-	05/26/21-
Q0247	0636	Injection, sotrovimab, 500 mg	02/25/22**	02/25/22**
3.400.47	0260	Intravenous infusion, sotrovimab, includes infusion and post administration	05/26/21-	05/26/21-
M0247	0260	monitoring	02/25/22**	02/25/22**

		Intravenous infusion, sotrovimab, includes infusion and post administration monitoring in the home or residence; this includes a beneficiary's home that		
		has been made provider-based to the hospital during the covid-19 public	05/26/21-	05/26/21-
M0248	0260	health emergency	02/25/22**	02/25/22**
Genente	ech EUA Monoclona	al Antibody COVID-19 Infusion Treatment		
		Injection, tocilizumab, for hospitalized adults and pediatric patients (2 years		
		of age and older) with covid-19 who are receiving systemic corticosteroids		
		and require supplemental oxygen, non-invasive or invasive mechanical		
Q0249	0636	ventilation, or extracorporeal membrane oxygenation (ECMO) only, 1 mg	06/24/21	06/24/21
		Intravenous infusion, tocilizumab, for hospitalized adults and pediatric		
		patients (2 years of age and older) with covid-19 who are receiving systemic		
		corticosteroids and require supplemental oxygen, non-invasive or invasive		
		mechanical ventilation, or extracorporeal membrane oxygenation (ECMO)		
M0249	0260	only, includes infusion and post administration monitoring, first dose	06/24/21	06/24/21
		Intravenous infusion, tocilizumab, for hospitalized adults and pediatric		
		patients (2 years of age and older) with covid-19 who are receiving systemic		
		corticosteroids and require supplemental oxygen, non-invasive or invasive		
		mechanical ventilation, or extracorporeal membrane oxygenation (ECMO)		
M0250	0260	only, includes infusion and post administration monitoring, second dose	06/24/21	06/24/21
AstraZe	eneca EUA Monoclo	onal Antibody COVID-19 Infusion Treatment		
Q0220	0636	Tixagev and cilgav, 300 mg	12/08/21	12/08/21
		Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis		
		only, for certain adults and pediatric individuals (12 years of age and older		
		weighing at least 40kg) with no known sars-cov-2 exposure, who either have		
		moderate to severely compromised immune systems or for whom		
		vaccination with any available covid-19 vaccine is not recommended due to		
		a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19		
M0220	0771	vaccine component(s), includes injection and post administration monitoring	12/08/21	12/08/21

		Injection, tixagevimab and cilgavimab, for the pre-exposure prophylaxis only, for certain adults and pediatric individuals (12 years of age and older weighing at least 40kg) with no known sars-cov-2 exposure, who either have moderate to severely compromised immune systems or for whom vaccination with any available covid-19 vaccine is not recommended due to a history of severe adverse reaction to a covid-19 vaccine(s) and/or covid-19 vaccine component(s), includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the covid-19 public health		
M0221	0771	emergency	12/08/2021	12/08/2021

^{*}Effective dates ended with the <u>FDA's revocation</u> of the EUA for monoclonal antibody treatment with bamlanivimab alone.

COVID	COVID-19 Treatment Covered Services for Uninsured Individuals					
CPT &			Uninsured			
HCPC			Benefit Code	MaineCare End		
Codes	Revenue Codes	Code Description	Effective Date	Date		
		Anesthesia for all procedures on the larynx and trachea in children younger				
00326	0370, 0963, 0964	than 1 year of age	03/11/21			
		Anesthesia for closed chest procedures; (including bronchoscopy) not				
00520	0370, 0963, 0964	otherwise specified	03/11/21			
00524	0370, 0963, 0964	Anesthesia for closed chest procedures; pneumocentesis	03/11/21			
		Anesthesia for closed chest procedures; mediastinoscopy and diagnostic				
00529	0370, 0963, 0964	thoracoscopy utilizing 1 lung ventilation	03/11/21			
00532	0370, 0963, 0964	Anesthesia for access to central venous circulation	03/11/21			
		Anesthesia for thoracotomy procedures involving lungs, pleura, diaphragm,				
00540	0370, 0963, 0964	and mediastinum (including surgical thoracoscopy); not otherwise specified	03/11/21			
01922	0370, 0963, 0964	Anesthesia for non-invasive imaging or radiation therapy	03/11/21			
	0360, 0361, 0450,					
	0490, 0510, 0514,					
	0515, 0516, 0517,					
	0519, 0520, 0521,					
10160	0529	Puncture aspiration of abscess, hematoma, bulla, or cyst	03/11/21			

^{**}Effective dates ended with the FDA's ending of the EUA for this monoclonal antibody treatment nationally or regionally.

	0360, 0361, 0410,		
	0412, 0419, 0450,		
	0490, 0510, 0514,		
	0515, 0516, 0517,		
31500	0519, 0761	Intubation, endotracheal, emergency procedure	03/11/21
31300	· · · · · · · · · · · · · · · · · · ·	intubation, endotrachear, emergency procedure	05/11/21
	0360, 0361, 0410,		
	0412, 0419, 0450,		
	0490, 0510, 0514,		
21.502	0515, 0516, 0517,		02/11/21
31502	0519, 0761	Tracheotomy tube change prior to establishment of fistula tract	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,		
31505	0517, 0519, 0761	Laryngoscopy, indirect; diagnostic (separate procedure)	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,	Laryngoscopy direct, with or without tracheoscopy; diagnostic, except	
31525	0517, 0519, 0761	newborn	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,	Laryngoscopy direct, with or without tracheoscopy; diagnostic, with	
31526	0517, 0519, 0761	operating microscope or telescope	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,	Laryngoscopy direct, with or without tracheoscopy; with insertion of	
31527	0517, 0519, 0761	obturator	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,		
31528	0517, 0519, 0761	Laryngoscopy direct, with or without tracheoscopy; with dilation, initial	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,	Laryngoscopy direct, with or without tracheoscopy; with dilation,	
31529	0517, 0519, 0761	subsequent	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,		
31535	0517, 0519, 0761	Laryngoscopy, direct, operative, with biopsy	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,		
31600	0517, 0519, 0761	Tracheostomy, planned (separate procedure)	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,		
31601	0517, 0519, 0761	Tracheostomy, planned (separate procedure); younger than 2 years	03/11/21

	0360, 0361, 0450,		
	0490, 0510, 0516,		
31603	0517, 0519, 0761	Tracheostomy, emergency procedure; transtracheal	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,		
31605	0517, 0519, 0761	Tracheostomy, emergency procedure; cricothyroid membrane	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0519,		
31720	0761	Catheter aspiration (separate procedure); nasotracheal	03/11/21
		Catheter aspiration (separate procedure); tracheobronchial with fiberscope,	
31725	0360	bedside	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0516,	Transtracheal (percutaneous) introduction of needle wire dilator/stent or	
31730	0517, 0519, 0761	indwelling tube for oxygen therapy	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
33946	0360	(ECLS) provided by physician; initiation, veno-venous	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
33947	0360	(ECLS) provided by physician; initiation, veno-arterial	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
33948	0360	(ECLS) provided by physician; daily management, each day, veno-venous	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
33949	0360	(ECLS) provided by physician; daily management, each day, veno-arterial	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
		(ECLS) provided by physician; insertion of peripheral (arterial and/or	
		venous) cannula(e), percutaneous, birth through 5 years of age (includes	
33951	0360	fluoroscopic guidance, when performed)	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
		(ECLS) provided by physician; insertion of peripheral (arterial and/or	
22072	0.0.10	venous) cannula(e), percutaneous, 6 years and older (includes fluoroscopic	00/44/04
33952	0360	guidance, when performed)	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
220.52	00.00	(ECLS) provided by physician; insertion of peripheral (arterial and/or	00/11/01
33953	0360	venous) cannula(e), open, birth through 5 years of age	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
22054	00.00	(ECLS) provided by physician; insertion of peripheral (arterial and/or	00/11/01
33954	0360	venous) cannula(e), open, 6 years and older	03/11/21

		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
		(ECLS) provided by physician; insertion of central cannula(e) by sternotomy	
33955	0360	or thoracotomy, birth through 5 years of age	03/11/21
		Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support	
		(ECLS) provided by physician; insertion of central cannula(e) by sternotomy	
33956	0360	or thoracotomy, 6 years and older	03/11/21
		Insertion of left heart vent by thoracic incision (eg, sternotomy,	
33988	0360	thoracotomy) for ECMO/ECLS	03/11/21
	0320, 0329, 0340,		
	0341, 0342, 0349,		
	0350, 0352, 0359,		
	0360, 0361, 0409,		
	0450, 0490, 0510,		
	0514, 0515, 0516,		
36014	0517, 0519	Selective catheter placement, left or right pulmonary artery	03/11/21
	0320, 0329, 0340,		
	0341, 0342, 0349,		
	0350, 0352, 0359,		
	0360, 0361, 0409,		
	0450, 0490, 0510,		
	0514, 0515, 0516,		
36015	0517, 0519	Selective catheter placement, segmental or subsegmental pulmonary artery	03/11/21
	0320, 0329, 0340,		
	0341, 0342, 0349,		
	0350, 0352, 0359,		
	0360, 0361, 0409,		
	0450, 0490, 0510,		
	0514, 0515, 0516,	Selective catheter placement, arterial system; each first order thoracic or	
36215	0517, 0519	brachiocephalic branch, within a vascular family	03/11/21
	0320, 0329, 0340,		
	0341, 0342, 0349,		
	0350, 0352, 0359,		
	0360, 0361, 0409,		
	0450, 0490, 0510,		
	0514, 0515, 0516,	Selective catheter placement, arterial system; initial second order thoracic or	
36216	0517, 0519	brachiocephalic branch, within a vascular family	03/11/21
	, -	, J	I .

	0320, 0329, 0340,		
	0341, 0342, 0349,		
	0350, 0352, 0359,		
	0360, 0361, 0409,		
	0450, 0490, 0510,		
	0514, 0515, 0516,	Selective catheter placement, arterial system; initial third order or more	
36217	0517, 0519	selective thoracic or brachiocephalic branch, within a vascular family	03/11/21
	0320, 0329, 0340,		
	0341, 0342, 0349,		
	0350, 0352, 0359,		
	0360, 0361, 0409,	Selective catheter placement, arterial system; additional second order, third	
	0450, 0490, 0510,	order, and beyond, thoracic or brachiocephalic branch, within a vascular	
	0514, 0515, 0516,	family (List in addition to code for initial second or third order vessel as	
36218	0517, 0519	appropriate)	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0514,	Venipuncture, younger than age 3 years, necessitating the skill of a physician	
	0515, 0516, 0517,	or other qualified health care professional, not to be used for routine	
36400	0519, 0521, 0761	venipuncture; femoral or jugular vein	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0514,	Venipuncture, age 3 years or older, necessitating the skill of a physician or	
	0515, 0516, 0517,	other qualified health care professional (separate procedure), for diagnostic	
36410	0519, 0521, 0761	or therapeutic purposes (not to be used for routine venipuncture)	03/11/21
	0300, 0360, 0361,		
36415	0450, 0510, 0519	Collection of venous blood by venipuncture	03/11/21
	0300, 0360, 0361,		
	0450, 0510, 0514,		
36416	0515	Collection of capillary blood specimen (eg, finger, heel, ear stick)	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0514,		
	0515, 0516, 0517,		
36420	0519, 0761	Venipuncture, cutdown; younger than age 1 year	03/11/21
	0360, 0361, 0450,		
	0490, 0510, 0514,		
	0515, 0516, 0517,		
36425	0519, 0761	Venipuncture, cutdown; age 1 or over	03/11/21

	0360, 0361, 0450,		
	0452, 0456, 0459,		
	0490, 0510, 0514,		
	0515, 0516, 0517,	Insertion of non-tunneled centrally inserted central venous catheter; younger	
36555	0519, 0761	than 5 years of age	03/11/21
	0360, 0361, 0450,		
	0452, 0456, 0459,		
	0490, 0510, 0514,		
	0515, 0516, 0517,	Insertion of tunneled centrally inserted central venous catheter, without	
36557	0519, 0761	subcutaneous port or pump; younger than 5 years of age	03/11/21
	0360, 0361, 0450,		
	0452, 0456, 0459,		
	0490, 0510, 0514,	Insertion of peripherally inserted central venous catheter (PICC), without	
	0515, 0516, 0517,	subcutaneous port or pump, without imaging guidance; younger than 5 years	
36568	0519, 0761	of age	03/11/21
	0320, 0360, 0361,	Insertion of peripherally inserted central venous catheter (PICC), without	
	0450, 0510, 0515,	subcutaneous port or pump, including all imaging guidance, image	
	0516, 0516, 0517,	documentation, and all associated radiological supervision and interpretation	
36572	0519, 0761	required to perform the insertion; younger than 5 years of age	03/11/21
	0320, 0360, 0361,	Insertion of peripherally inserted central venous catheter (PICC), without	
	0450, 0510, 0515,	subcutaneous port or pump, including all imaging guidance, image	
	0516, 0516, 0517,	documentation, and all associated radiological supervision and interpretation	
36573	0519, 0761	required to perform the insertion; age 5 years or older	03/11/21
	0320, 0329, 0340,		
	0341, 0342, 0349,		
	0350, 0351, 0352,		
	0359, 0360, 0361,		
	0450, 0490, 0510,		
60070	0514, 0515, 0516,		00/11/01
62270	0517, 0519	Spinal puncture, lumbar, diagnostic	03/11/21
	0320, 0350, 0360,		
	0361, 0450, 0510,		
62220	0519, 0520, 0529, 0761	Chinal hungtum lumban diagnostics with fluorescenic on CT avidence	02/11/21
62328		Spinal puncture, lumbar, diagnostic; with fluoroscopic or CT guidance	03/11/21
70450	0350, 0351, 0359	Computed tomography, head or brain; without contrast material	03/11/21
70460	0350, 0351, 0359	Computed tomography, head or brain; with contrast material(s)	03/11/21

		Computed tomography, head or brain; without contrast material, followed by	
70470	0350, 0351, 0359	contrast material(s) and further sections	03/11/21
		Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without	
70543	0610, 0614	contrast material(s), followed by contrast material(s) and further sequences	03/11/21
		Magnetic resonance (eg, proton) imaging, brain (including brain stem);	
70551	0610, 0611	without contrast material	03/11/21
		Magnetic resonance (eg, proton) imaging, brain (including brain stem); with	
70552	0610, 0611	contrast material(s)	03/11/21
		Magnetic resonance (eg, proton) imaging, brain (including brain stem);	
		without contrast material, followed by contrast material(s) and further	
70553	0610, 0611	sequences	03/11/21
71047	0320, 0324	Radiologic examination, chest; 3 views	03/11/21
71048	0320, 0324	Radiologic examination, chest; 4 or more views	03/11/21
71260	0350, 0352, 0359	Computed tomography, thorax, diagnostic; with contrast material(s)	03/11/21
		Computed tomography, thorax, diagnostic; without contrast material,	
71270	0350, 0352, 0359	followed by contrast material(s) and further sections	03/11/21
		Computed tomographic angiography, chest (noncoronary), with contrast	
		material(s), including noncontrast images, if performed, and image	
71275	0350, 0352, 0359	postprocessing	03/11/21
		Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar	
71550	0610, 0614	and mediastinal lymphadenopathy); without contrast material(s)	03/11/21
		Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar	
71551	0610, 0614	and mediastinal lymphadenopathy); with contrast material(s)	03/11/21
		Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar	
		and mediastinal lymphadenopathy); without contrast material(s), followed by	
71552	0610, 0614	contrast material(s) and further sequences	03/11/21
		Magnetic resonance angiography, chest (excluding myocardium), with or	
71555	0610, 0618	without contrast material(s)	03/11/21
		Myelography, 2 or more regions (eg, lumbar/thoracic, cervical/thoracic,	
		lumbar/cervical, lumbar/thoracic/cervical), radiological supervision and	
72270	0320, 0329	interpretation	03/11/21
		Computed tomographic angiography, abdomen, with contrast material(s),	
74175	0350, 0352, 0359	including noncontrast images, if performed, and image postprocessing	03/11/21
74176	0350, 0352, 0359	Computed tomography, abdomen and pelvis; without contrast material	03/11/21
74177	0350, 0352, 0359	Computed tomography, abdomen and pelvis; with contrast material(s)	03/11/21

		Computed tomography, abdomon and polytics without contrast material in	
		Computed tomography, abdomen and pelvis; without contrast material in one or both body regions, followed by contrast material(s) and further	
74178	0350, 0352, 0359	sections in one or both body regions	03/11/21
/41/8	· · ·	sections in one or both body regions	05/11/21
76200	0350, 0351, 0352,		02/11/21
76380	0359	Computed tomography, limited or localized follow-up study	03/11/21
5 < 5 0 5	0.402	Ultrasound, abdominal, real time with image documentation; limited (eg,	00/11/01
76705	0402	single organ, quadrant, follow-up)	03/11/21
		Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image	
76770	0402	documentation; complete	03/11/21
		Fluoroscopic guidance for central venous access device placement,	
		replacement (catheter only or complete), or removal (includes fluoroscopic	
		guidance for vascular access and catheter manipulation, any necessary	
		contrast injections through access site or catheter with related venography	
		radiologic supervision and interpretation, and radiographic documentation of	
		final catheter position) (List separately in addition to code for primary	
77001	0320, 0329, 0402	procedure)	03/11/21
		Myocardial perfusion imaging, tomographic (SPECT) (including attenuation	
		correction, qualitative or quantitative wall motion, ejection fraction by first	
		pass or gated technique, additional quantification, when performed); single	
78451	0340, 0341, 0349	study, at rest or stress (exercise or pharmacologic)	03/11/21
		Myocardial perfusion imaging, tomographic (SPECT) (including attenuation	
		correction, qualitative or quantitative wall motion, ejection fraction by first	
		pass or gated technique, additional quantification, when performed); multiple	
		studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution	
78452	0340, 0341, 0349	and/or rest reinjection	03/11/21
		Myocardial perfusion imaging, planar (including qualitative or quantitative	
		wall motion, ejection fraction by first pass or gated technique, additional	
		quantification, when performed); single study, at rest or stress (exercise or	
78453	0340, 0341, 0349	pharmacologic)	03/11/21
		Myocardial perfusion imaging, planar (including qualitative or quantitative	
		wall motion, ejection fraction by first pass or gated technique, additional	
		quantification, when performed); multiple studies, at rest and/or stress	
78454	0340, 0341, 0349	(exercise or pharmacologic) and/or redistribution and/or rest reinjection	03/11/21
78579	0340, 0341, 0349	Pulmonary ventilation imaging (eg, aerosol or gas)	03/11/21
78580	0340, 0341, 0349	Pulmonary perfusion imaging (eg, particulate)	03/11/21
78582	0340, 0341, 0349	Pulmonary ventilation (eg, aerosol or gas) and perfusion imaging	03/11/21

70507	0240 0241 0240	Quantitative differential pulmonary perfusion, including imaging when	02/11/21
78597	0340, 0341, 0349	performed	03/11/21
		Quantitative differential pulmonary perfusion and ventilation (eg, aerosol or	
78598	0340, 0341, 0349	gas), including imaging when performed	03/11/21
		General health panel This panel must include the following: Comprehensive	
		metabolic panel (80053) Blood count, complete (CBC), automated and	
		automated differential WBC count (85025 or 85027 and 85004) OR Blood	
		count, complete (CBC), automated (85027) and appropriate manual	
		differential WBC count (85007 or 85009) Thyroid stimulating hormone	
80050	0300, 0301, 0309	(TSH) (84443)	03/11/21
80198	0300, 0301, 0309	Theophylline	03/11/21
		Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,	
		ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any	
81000	0300, 0307	number of these constituents; non-automated, with microscopy	03/11/21
		Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,	
		ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any	
81001	0300, 0307	number of these constituents; automated, with microscopy	03/11/21
		Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,	
		ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any	
81002	0300, 0307	number of these constituents; non-automated, without microscopy	03/11/21
		Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,	
		ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any	
81003	0300, 0307	number of these constituents; automated, without microscopy	03/11/21
81005	0300, 0307	Urinalysis; qualitative or semiquantitative, except immunoassays	03/11/21
81007	0300, 0307	Urinalysis; bacteriuria screen, except by culture or dipstick	03/11/21
81015	0300, 0307	Urinalysis; microscopic only	03/11/21
82271	0300, 0301, 0309	Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	03/11/21
		Blood, occult, by fecal hemoglobin determination by immunoassay,	
82274	0300, 0301, 0309	qualitative, feces, 1-3 simultaneous determinations	03/11/21
82595	0300, 0301, 0309	Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)	03/11/21
82800	0300, 0301, 0309	Gases, blood, pH only	03/11/21
	, , , , , , , , , , , , , , , , , , , ,	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including	
82803	0300, 0301, 0309	calculated O2 saturation)	03/11/21
	,	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including	
		calculated O2 saturation); with O2 saturation, by direct measurement, except	
82805	0300, 0301, 0309	pulse oximetry	03/11/21
	, , , ,		

		Gases, blood, O2 saturation only, by direct measurement, except pulse	
82810	0300, 0301, 0309	oximetry	03/11/21
		Hemoglobin-oxygen affinity (pO2 for 50% hemoglobin saturation with	
82820	0300, 0301, 0309	oxygen)	03/11/21
	0300, 0301, 0309,		
82947	0770	Glucose; quantitative, blood (except reagent strip)	03/11/21
82948	0300, 0301, 0309	Glucose; blood, reagent strip	03/11/21
		Glucose, blood by glucose monitoring device(s) cleared by the FDA	
82962	0300, 0301, 0309	specifically for home use	03/11/21
84156	0300, 0301, 0309	Protein, total, except by refractometry; urine	03/11/21
84165	0300, 0301, 0309	Protein; electrophoretic fractionation and quantitation, serum	03/11/21
		Protein; electrophoretic fractionation and quantitation, other fluids with	
84166	0300, 0301, 0309	concentration (eg, urine, CSF)	03/11/21
		Protein; Western Blot, with interpretation and report, blood or other body	
84181	0300, 0301, 0309	fluid	03/11/21
84436	0300, 0301, 0309	Thyroxine; total	03/11/21
84439	0300, 0301, 0309	Thyroxine; free	03/11/21
84443	0300, 0301, 0309	Thyroid stimulating hormone (TSH)	03/11/21
		Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio	
84479	0300, 0301, 0309	(THBR)	03/11/21
84481	0300, 0301, 0309	Triiodothyronine T3; free	03/11/21
84482	0300, 0301, 0309	Triiodothyronine T3; reverse	03/11/21
85002	0300, 0305, 0309	Bleeding time	03/11/21
85004	0300, 0305, 0309	Blood count; automated differential WBC count	03/11/21
		Blood count; blood smear, microscopic examination with manual differential	
85007	0300, 0305, 0309	WBC count	03/11/21
		Blood count; blood smear, microscopic examination without manual	
85008	0300, 0305, 0309	differential WBC count	03/11/21
85009	0300, 0305, 0309	Blood count; manual differential WBC count, buffy coat	03/11/21
85014	0300, 0305, 0309	Blood count; hematocrit (Hct)	03/11/21
		Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and	
85027	0300, 0305, 0309	platelet count)	03/11/21
85032	0300, 0305, 0309	Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each	03/11/21
85041	0300, 0305, 0309	Blood count; red blood cell (RBC), automated	03/11/21
85048	0300, 0305, 0309	Blood count; leukocyte (WBC), automated	03/11/21

0.7.0.0	0000 0007 0000	Fibrin degradation products, D-dimer; ultrasensitive (eg, for evaluation for	
85380	0300, 0305, 0309	venous thromboembolism), qualitative or semiquantitative	03/11/21
85651	0300, 0305, 0309	Sedimentation rate, erythrocyte; non-automated	03/11/21
85652	0300, 0305, 0309	Sedimentation rate, erythrocyte; automated	03/11/21
85730	0300, 0305, 0309	Thromboplastin time, partial (PTT); plasma or whole blood	03/11/21
86140	0300, 0302, 0309	C-reactive protein	03/11/21
86689	0300, 0302, 0309	Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	03/11/21
86701	0300, 0302, 0309	Antibody; HIV-1	03/11/21
86702	0300, 0302, 0309	Antibody; HIV-2	03/11/21
86703	0300, 0302, 0309	Antibody; HIV-1 and HIV-2, single result	03/11/21
86850	0300, 0302, 0309	Antibody screen, RBC, each serum technique	03/11/21
86860	0300, 0302, 0309	Antibody elution (RBC), each elution	03/11/21
		Antibody identification, RBC antibodies, each panel for each serum	
86870	0300, 0302, 0309	technique	03/11/21
		Antihuman globulin test (Coombs test); indirect, qualitative, each reagent	
86885	0300, 0302, 0309	red cell	03/11/21
86886	0300, 0302, 0309	Antihuman globulin test (Coombs test); indirect, each antibody titer	03/11/21
86900	0300, 0309, 0390	Blood typing, serologic; ABO	03/11/21
86901	0300, 0309, 0390	Blood typing, serologic; Rh (D)	03/11/21
		Blood typing, serologic; antigen testing of donor blood using reagent serum,	
86902	0300, 0309, 0390	each antigen test	03/11/21
		Blood typing, serologic; antigen screening for compatible unit using patient	
86904	0300, 0309, 0390	serum, per unit screened	03/11/21
86905	0300, 0309, 0390	Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	03/11/21
86906	0300, 0309, 0390	Blood typing, serologic; Rh phenotyping, complete	03/11/21
86920	0300, 0309, 0390	Compatibility test each unit; immediate spin technique	03/11/21
86921	0300, 0309, 0390	Compatibility test each unit; incubation technique	03/11/21
86922	0300, 0309, 0390	Compatibility test each unit; antiglobulin technique	03/11/21
86923	0300, 0309, 0390	Compatibility test each unit; electronic	03/11/21
86945	0300, 0309, 0390	Irradiation of blood product, each unit	03/11/21
86950	0300, 0309	Leukocyte transfusion	03/11/21
		Volume reduction of blood or blood product (eg, red blood cells or platelets),	
86960	0300, 0309, 0390	each unit	03/11/21
		Pretreatment of RBCs for use in RBC antibody detection, identification,	
86970	0300, 0309, 0390	and/or compatibility testing; incubation with chemical agents or drugs, each	03/11/21
			

		Pretreatment of RBCs for use in RBC antibody detection, identification,	
86971	0300, 0309, 0390	and/or compatibility testing; incubation with enzymes, each	03/11/21
007/1	0300, 0307, 0370	Pretreatment of RBCs for use in RBC antibody detection, identification,	03/11/21
86972	0300, 0309, 0390	and/or compatibility testing; by density gradient separation	03/11/21
80972	0300, 0309, 0390	Pretreatment of serum for use in RBC antibody identification; incubation	03/11/21
86975	0300, 0302, 0309	with drugs, each	03/11/21
80973		with drugs, each	03/11/21
86976	0300, 0302, 0309, 0390	Pretreatment of serum for use in RBC antibody identification; by dilution	03/11/21
00770	0300, 0302, 0309,	Pretreatment of serum for use in RBC antibody identification; by dilution	03/11/21
86977	0390	with inhibitors, each	03/11/21
00711	0370	Pretreatment of serum for use in RBC antibody identification; by differential	03/11/21
	0300, 0302, 0309,	red cell absorption using patient RBCs or RBCs of known phenotype, each	
86978	0390	absorption	03/11/21
00770	0370	Culture, bacterial; any other source except urine, blood or stool, aerobic,	03/11/21
87070	0300, 0306, 0309	with isolation and presumptive identification of isolates	03/11/21
07070	0300, 0300, 0307	Culture, bacterial; quantitative, aerobic with isolation and presumptive	03/11/21
87071	0300, 0306, 0309	identification of isolates, any source except urine, blood or stool	03/11/21
07071	0300, 0300, 0307	Culture, bacterial; quantitative, anaerobic with isolation and presumptive	03/11/21
87073	0300, 0306, 0309	identification of isolates, any source except urine, blood or stool	03/11/21
87081	0300, 0306, 0309	Culture, presumptive, pathogenic organisms, screening only	03/11/21
0,001		Culture, presumptive, pathogenic organisms, screening only; with colony	00/11/21
87084	0300, 0306, 0309	estimation from density chart	03/11/21
87086	0300, 0306, 0309	Culture, bacterial; quantitative colony count, urine	03/11/21
	, ,	Culture, bacterial; with isolation and presumptive identification of each	
87088	0300, 0306, 0309	isolate, urine	03/11/21
		Susceptibility studies, antimicrobial agent; agar dilution method, per agent	
87181	0300, 0306, 0309	(eg, antibiotic gradient strip)	03/11/21
		Susceptibility studies, antimicrobial agent; disk method, per plate (12 or	
87184	0300, 0306, 0309	fewer agents)	03/11/21
		Susceptibility studies, antimicrobial agent; microdilution or agar dilution	
		(minimum inhibitory concentration [MIC] or breakpoint), each multi-	
87186	0300, 0306, 0309	antimicrobial, per plate	03/11/21
		Susceptibility studies, antimicrobial agent; microdilution or agar dilution,	
		minimum lethal concentration (MLC), each plate (List separately in addition	
87187	0300, 0306, 0309	to code for primary procedure)	03/11/21
		Susceptibility studies, antimicrobial agent; macrobroth dilution method, each	
87188	0300, 0306, 0309	agent	03/11/21

	T		
87230	0300, 0306, 0309	Toxin or antitoxin assay, tissue culture (eg, Clostridium difficile toxin)	03/11/21
		Virus isolation; tissue culture inoculation, observation, and presumptive	
87252	0300, 0306, 0309	identification by cytopathic effect	03/11/21
		Virus isolation; tissue culture, additional studies or definitive identification	
87253	0300, 0306, 0309	(eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	03/11/21
		Infectious agent antigen detection by immunofluorescent technique;	
87280	0300, 0306, 0309	respiratory syncytial virus	03/11/21
		Infectious agent antigen detection by immunoassay technique, (eg, enzyme	
		immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA],	
		fluorescence immunoassay [FIA], immunochemiluminometric assay	
87324	0300, 0306, 0309	[IMCA]) qualitative or semiquantitative; Clostridium difficile toxin(s)	03/11/21
		Infectious agent antigen detection by immunoassay technique, (eg, enzyme	
		immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA],	
	0300, 0302, 0309,	fluorescence immunoassay [FIA], immunochemiluminometric assay	
87390	0390	[IMCA]) qualitative or semiquantitative; HIV-1	03/11/21
		Infectious agent antigen detection by immunoassay technique, (eg, enzyme	
		immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA],	
	0300, 0302, 0309,	fluorescence immunoassay [FIA], immunochemiluminometric assay	
87391	0390	[IMCA]) qualitative or semiquantitative; HIV-2	03/11/21
		Infectious agent antigen detection by immunoassay technique, (eg, enzyme	
		immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA],	
		fluorescence immunoassay [FIA], immunochemiluminometric assay	
87420	0300, 0306, 0309	[IMCA]) qualitative or semiquantitative; respiratory syncytial virus	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); central nervous	
		system pathogen (eg, Neisseria meningitidis, Streptococcus pneumoniae,	
		Listeria, Haemophilus influenzae, E. coli, Streptococcus agalactiae,	
		enterovirus, human parechovirus, herpes simplex virus type 1 and 2, human	
		herpesvirus 6, cytomegalovirus, varicella zoster virus, Cryptococcus),	
		includes multiplex reverse transcription, when performed, and multiplex	
87483	0300, 0306	amplified probe technique, multiple types or subtypes, 12-25 targets	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia	
87485	0300, 0306, 0309	pneumoniae, direct probe technique	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia	
87486	0300, 0306, 0309	pneumoniae, amplified probe technique	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia	
87487	0300, 0306, 0309	pneumoniae, quantification	03/11/21

		Infectious agent detection by nucleic acid (DNA or RNA); influenza virus,	
		for multiple types or sub-types, includes multiplex reverse transcription,	
		when performed, and multiplex amplified probe technique, each additional	
		influenza virus type or sub-type beyond 2 (List separately in addition to code	
87503	0300, 0306, 0309	for primary procedure)	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct	
87534	0300, 0306, 0309	probe technique	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified	
87535	0300, 0306, 0309	probe technique, includes reverse transcription when performed	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct	
87537	0300, 0306, 0309	probe technique	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified	
87538	0300, 0306, 0309	probe technique, includes reverse transcription when performed	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma	
87580	0300, 0306, 0309	pneumoniae, direct probe technique	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma	
87581	0300, 0306, 0309	pneumoniae, amplified probe technique	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma	
87582	0300, 0306, 0309	pneumoniae, quantification	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus	
		(eg, adenovirus, influenza virus, coronavirus, metapneumovirus,	
		parainfluenza virus, respiratory syncytial virus, rhinovirus), includes	
		multiplex reverse transcription, when performed, and multiplex amplified	
87631	0300, 0306	probe technique, multiple types or subtypes, 3-5 targets	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus	
		(eg, adenovirus, influenza virus, coronavirus, metapneumovirus,	
		parainfluenza virus, respiratory syncytial virus, rhinovirus), includes	
		multiplex reverse transcription, when performed, and multiplex amplified	
87632	0300, 0306	probe technique, multiple types or subtypes, 6-11 targets	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus	
		(eg, adenovirus, influenza virus, coronavirus, metapneumovirus,	
		parainfluenza virus, respiratory syncytial virus, rhinovirus), includes	
		multiplex reverse transcription, when performed, and multiplex amplified	
87633	0300, 0306	probe technique, multiple types or subtypes, 12-25 targets	03/11/21
		Infectious agent detection by nucleic acid (DNA or RNA); respiratory	
87634	0306	syncytial virus, amplified probe technique	03/11/21
		<u> </u>	· · · · · · · · · · · · · · · · · · ·

		Infectious agent detection by nucleic acid (DNA or RNA), multiple		
87801	0300, 0306, 0309	organisms; amplified probe(s) technique	03/11/21	
		Infectious agent antigen detection by immunoassay with direct optical (ie,		
87803	0300, 0306, 0309	visual) observation; Clostridium difficile toxin A	03/11/21	
		Infectious agent antigen detection by immunoassay with direct optical (ie,		
87807	0300, 0306, 0309	visual) observation; respiratory syncytial virus	03/11/21	
		Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid),		
89050	0300, 0309	except blood	03/11/21	
		Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid),		
89051	0300, 0309	except blood; with differential count	03/11/21	
89055	0300, 0309	Leukocyte assessment, fecal, qualitative or semiquantitative	03/11/21	
		Respiratory syncytial virus, monoclonal antibody, recombinant, for		
90378	0636	intramuscular use, 50 mg, each	03/11/21	
	0321, 0342, 0360,	Percutaneous transluminal coronary angioplasty; single major coronary		
92920	0480, 0481	artery or branch	03/11/21	
		Percutaneous transluminal coronary angioplasty; each additional branch of a		
	0321, 0342, 0360,	major coronary artery (List separately in addition to code for primary		
92921	0480, 0481	procedure)	03/11/21	
	0321, 0342, 0360,	Percutaneous transluminal coronary atherectomy, with coronary angioplasty		
92924	0480, 0481	when performed; single major coronary artery or branch	03/11/21	
		Percutaneous transcatheter placement of intracoronary stent(s), with		
	0321, 0342, 0360,	coronary angioplasty when performed; single major coronary artery or		
92928	0480, 0481	branch	03/11/21	
		Percutaneous transluminal coronary atherectomy, with intracoronary stent,		
	0321, 0342, 0360,	with coronary angioplasty when performed; single major coronary artery or		
92933	0480, 0481	branch	03/11/21	
		Percutaneous transluminal revascularization of or through coronary artery		
		bypass graft (internal mammary, free arterial, venous), any combination of		
	0321, 0342, 0360,	intracoronary stent, atherectomy and angioplasty, including distal protection		
92937	0480, 0481	when performed; single vessel	03/11/21	
		Percutaneous transluminal revascularization of acute total/subtotal occlusion		
		during acute myocardial infarction, coronary artery or coronary artery bypass		
	00.00	graft, any combination of intracoronary stent, atherectomy and angioplasty,	00/11/0	
92941	0360, 0480, 0481	including aspiration thrombectomy when performed, single vessel	03/11/21	

		Percutaneous transluminal revascularization of chronic total occlusion,	
		coronary artery, coronary artery branch, or coronary artery bypass graft, any	
	0321, 0342, 0360,	combination of intracoronary stent, atherectomy and angioplasty; single	
92943	0480, 0481	vesse	03/11/21
	0360, 0410, 0419,		
	0450, 0480, 0489,		
92950	0510, 0519	Cardiopulmonary resuscitation (eg, in cardiac arrest)	03/11/21
	0360, 0450, 0480,		
92953	0489, 0510, 0519	Temporary transcutaneous pacing	03/11/21
	0360, 0450, 0480,		
92960	0489, 0510, 0519	Cardioversion, elective, electrical conversion of arrhythmia; external	03/11/21
	0360, 0450, 0480,	Cardioversion, elective, electrical conversion of arrhythmia; internal	
92961	0489, 0510, 0519	(separate procedure)	03/11/21
92970	0480, 0489	Cardioassist-method of circulatory assist; internal	03/11/21
92971	0480, 0489	Cardioassist-method of circulatory assist; external	03/11/21
	0360, 0361, 0480,	Percutaneous transluminal coronary thrombectomy mechanical (List	
92973	0481	separately in addition to code for primary procedure)	03/11/21
		Thrombolysis, coronary; by intracoronary infusion, including selective	
92975	0360, 0480, 0481	coronary angiography	03/11/21
	0360, 0361, 0480,		
92977	0481	Thrombolysis, coronary; by intravenous infusion	03/11/21
		Endoluminal imaging of coronary vessel or graft using intravascular	
		ultrasound (IVUS) or optical coherence tomography (OCT) during	
		diagnostic evaluation and/or therapeutic intervention including imaging	
	0360, 0361, 0402,	supervision, interpretation and report; initial vessel (List separately in	
92978	0480, 0481	addition to code for primary procedure)	03/11/21
		Endoluminal imaging of coronary vessel or graft using intravascular	
		ultrasound (IVUS) or optical coherence tomography (OCT) during	
		diagnostic evaluation and/or therapeutic intervention including imaging	
	0360, 0361, 0402,	supervision, interpretation and report; each additional vessel (List separately	
92979	0480, 0481	in addition to code for primary procedure)	03/11/21
		Electrocardiogram, routine ECG with at least 12 leads; interpretation and	
93010	0521, 0985	report only	03/11/21
		Cardiovascular stress test using maximal or submaximal treadmill or bicycle	
		exercise, continuous electrocardiographic monitoring, and/or	
93015	0482, 0985	pharmacological stress; with supervision, interpretation and report	03/11/21

		Cardiovascular stress test using maximal or submaximal treadmill or bicycle	
02016	0.402 0007	exercise, continuous electrocardiographic monitoring, and/or	00/11/01
93016	0482, 0985	pharmacological stress; supervision only, without interpretation and report	03/11/21
		Cardiovascular stress test using maximal or submaximal treadmill or bicycle	
		exercise, continuous electrocardiographic monitoring, and/or	
93017	0482, 0730	pharmacological stress; tracing only, without interpretation and report	03/11/21
		Cardiovascular stress test using maximal or submaximal treadmill or bicycle	
		exercise, continuous electrocardiographic monitoring, and/or	
93018	0482, 0521, 0985	pharmacological stress; interpretation and report only	03/11/21
93025	0480, 0489, 0730	Microvolt T-wave alternans for assessment of ventricular arrhythmias	03/11/21
93040	0730	Rhythm ECG, 1-3 leads; with interpretation and report	03/11/21
93041	0521, 0730, 0985	Rhythm ECG, 1-3 leads; tracing only without interpretation and report	03/11/21
93042	0521, 0730, 0985	Rhythm ECG, 1-3 leads; interpretation and report only	03/11/21
93278	0730, 0731	Signal-averaged electrocardiography (SAECG), with or without ECG	03/11/21
		Echocardiography, transthoracic, real-time with image documentation (2D),	
		includes M-mode recording, when performed, complete, with spectral	
93306	0483	Doppler echocardiography, and with color flow Doppler echocardiography	03/11/21
		Echocardiography, transthoracic, real-time with image documentation (2D),	
		includes M-mode recording, when performed, complete, without spectral or	
93307	0483	color Doppler echocardiography	03/11/21
		Echocardiography, transthoracic, real-time with image documentation (2D),	
93308	0483	includes M-mode recording, when performed, follow-up or limited study	03/11/21
		Echocardiography, transesophageal, real-time with image documentation	
		(2D) (with or without M-mode recording); including probe placement, image	
93312	0483	acquisition, interpretation and report	03/11/21
		Echocardiography, transesophageal, real-time with image documentation	
		(2D) (with or without M-mode recording); placement of transesophageal	
93313	0483	probe only	03/11/21
		Echocardiography, transesophageal, real-time with image documentation	
		(2D) (with or without M-mode recording); image acquisition, interpretation	
93314	0483	and report only	03/11/21
		Echocardiography, transesophageal (TEE) for monitoring purposes,	
		including probe placement, real time 2-dimensional image acquisition and	
		interpretation leading to ongoing (continuous) assessment of (dynamically	
		changing) cardiac pumping function and to therapeutic measures on an	
93318	0483	immediate time basis	03/11/21

		Doppler echocardiography, pulsed wave and/or continuous wave with		
		spectral display (List separately in addition to codes for echocardiographic		
93320	0483	imaging); complete	03/11/21	
		Doppler echocardiography, pulsed wave and/or continuous wave with		
		spectral display (List separately in addition to codes for echocardiographic		
		imaging); follow-up or limited study (List separately in addition to codes for		
93321	0483	echocardiographic imaging)	03/11/21	
		Doppler echocardiography color flow velocity mapping (List separately in		
93325	0483	addition to codes for echocardiography)	03/11/21	
		Echocardiography, transthoracic, real-time with image documentation (2D),		
		includes M-mode recording, when performed, during rest and cardiovascular		
		stress test using treadmill, bicycle exercise and/or pharmacologically		
93350	0483	induced stress, with interpretation and report	03/11/21	
		Echocardiography, transthoracic, real-time with image documentation (2D),		
		includes M-mode recording, when performed, during rest and cardiovascular		
		stress test using treadmill, bicycle exercise and/or pharmacologically		
		induced stress, with interpretation and report; including performance of		
		continuous electrocardiographic monitoring, with supervision by a physician		
93351	0483	or other qualified health care professional	03/11/21	
		Use of echocardiographic contrast agent during stress echocardiography		
93352	0483	(List separately in addition to code for primary procedure)	03/11/21	
		Right heart catheterization including measurement(s) of oxygen saturation		
93451	0481	and cardiac output, when performed	03/11/21	
		Left heart catheterization including intraprocedural injection(s) for left		
93452	0481	ventriculography, imaging supervision and interpretation, when performed	03/11/21	
		Combined right and left heart catheterization including intraprocedural		
00450	0.404	injection(s) for left ventriculography, imaging supervision and interpretation,	00/11/01	
93453	0481	when performed	03/11/21	
		Catheter placement in coronary artery(s) for coronary angiography,		
02454	0.401	including intraprocedural injection(s) for coronary angiography, imaging	00/11/01	
93454	0481	supervision and interpretation	03/11/21	
		Catheter placement in coronary artery(s) for coronary angiography,		
		including intraprocedural injection(s) for coronary angiography, imaging		
		supervision and interpretation; with catheter placement(s) in bypass graft(s)		
02455	0491	(internal mammary, free arterial, venous grafts) including intraprocedural	02/11/21	
93455	0481	injection(s) for bypass graft angiography	03/11/21	

		Catheter placement in coronary artery(s) for coronary angiography,	
02456	0.401	including intraprocedural injection(s) for coronary angiography, imaging	02/11/21
93456	0481	supervision and interpretation; with right heart catheterization	03/11/21
		Catheter placement in coronary artery(s) for coronary angiography,	
		including intraprocedural injection(s) for coronary angiography, imaging	
		supervision and interpretation; with catheter placement(s) in bypass graft(s)	
		(internal mammary, free arterial, venous grafts) including intraprocedural	
93457	0481	injection(s) for bypass graft angiography and right heart catheterization	03/11/21
		Catheter placement in coronary artery(s) for coronary angiography,	
		including intraprocedural injection(s) for coronary angiography, imaging	
		supervision and interpretation; with left heart catheterization including	
93458	0481	intraprocedural injection(s) for left ventriculography, when performed	03/11/21
		Catheter placement in coronary artery(s) for coronary angiography,	
		including intraprocedural injection(s) for coronary angiography, imaging	
		supervision and interpretation; with left heart catheterization including	
		intraprocedural injection(s) for left ventriculography, when performed,	
		catheter placement(s) in bypass graft(s) (internal mammary, free arterial,	
93459	0481	venous grafts) with bypass graft angiography	03/11/21
		Catheter placement in coronary artery(s) for coronary angiography,	
		including intraprocedural injection(s) for coronary angiography, imaging	
		supervision and interpretation; with right and left heart catheterization	
		including intraprocedural injection(s) for left ventriculography, when	
93460	0481	performed	03/11/21
		Catheter placement in coronary artery(s) for coronary angiography,	
		including intraprocedural injection(s) for coronary angiography, imaging	
		supervision and interpretation; with right and left heart catheterization	
		including intraprocedural injection(s) for left ventriculography, when	
		performed, catheter placement(s) in bypass graft(s) (internal mammary, free	
93461	0481	arterial, venous grafts) with bypass graft angiography	03/11/21
		Left heart catheterization by transseptal puncture through intact septum or by	
		transapical puncture (List separately in addition to code for primary	
93462	0481	procedure)	03/11/21
		Pharmacologic agent administration (eg, inhaled nitric oxide, intravenous	
		infusion of nitroprusside, dobutamine, milrinone, or other agent) including	
		assessing hemodynamic measurements before, during, after and repeat	
		pharmacologic agent administration, when performed (List separately in	
93463	0481	addition to code for primary procedure)	03/11/21
75.00	1	manage 101 primary procession)	

		Insertion and placement of flow directed catheter (eg, Swan-Ganz) for	
93503	0481	monitoring purposes	03/11/21
93505	0481	Endomyocardial biopsy	03/11/21
75505	0101	Indicator dilution studies such as dye or thermodilution, including arterial	03/11/21
		and/or venous catheterization; with cardiac output measurement (separate	
93561	0481	procedure)	03/11/21
75501	0101	Indicator dilution studies such as dye or thermodilution, including arterial	05/11/21
93562	0481	and/or venous catheterization; subsequent measurement of cardiac output	03/11/21
70002	0.01	Injection procedure during cardiac catheterization including imaging	00/11/21
		supervision, interpretation, and report; for selective left ventricular or left	
93565	0481	atrial angiography (List separately in addition to code for primary procedure)	03/11/21
		Injection procedure during cardiac catheterization including imaging	
		supervision, interpretation, and report; for selective right ventricular or right	
93566	0481	atrial angiography (List separately in addition to code for primary procedure)	03/11/21
		Injection procedure during cardiac catheterization including imaging	
		supervision, interpretation, and report; for supravalvular aortography (List	
93567	0481	separately in addition to code for primary procedure)	03/11/21
		Injection procedure during cardiac catheterization including imaging	
		supervision, interpretation, and report; for pulmonary angiography (List	
93568	0481	separately in addition to code for primary procedure)	03/11/21
		Intravascular Doppler velocity and/or pressure derived coronary flow reserve	
		measurement (coronary vessel or graft) during coronary angiography	
		including pharmacologically induced stress; initial vessel (List separately in	
93571	0480, 0481	addition to code for primary procedure)	03/11/21
		Intravascular Doppler velocity and/or pressure derived coronary flow reserve	
		measurement (coronary vessel or graft) during coronary angiography	
		including pharmacologically induced stress; each additional vessel (List	
93572	0480, 0481	separately in addition to code for primary procedure)	03/11/21
		Intraventricular and/or intra-atrial mapping of tachycardia site(s) with	
		catheter manipulation to record from multiple sites to identify origin of	
93609	0480, 0481	tachycardia (List separately in addition to code for primary procedure)	03/11/21
93610	0480, 0481	Intra-atrial pacing	03/11/21
93612	0480, 0481	Intraventricular pacing	03/11/21
		Intracardiac electrophysiologic 3-dimensional mapping (List separately in	
93613	0480, 0481	addition to code for primary procedure)	03/11/21
93618	0480, 0481	Induction of arrhythmia by electrical pacing	03/11/21

		Comprehensive electrophysiologic evaluation with right atrial pacing and		
		recording, right ventricular pacing and recording, His bundle recording,		
		including insertion and repositioning of multiple electrode catheters, without		
93619	0480	induction or attempted induction of arrhythmia	03/11/21	
		Comprehensive electrophysiologic evaluation including insertion and		
		repositioning of multiple electrode catheters with induction or attempted		
		induction of arrhythmia; with right atrial pacing and recording, right		
93620	0480	ventricular pacing and recording, His bundle recording	03/11/21	
		Comprehensive electrophysiologic evaluation including insertion and		
		repositioning of multiple electrode catheters with induction or attempted		
		induction of arrhythmia; with left atrial pacing and recording from coronary		
		sinus or left atrium (List separately in addition to code for primary		
93621	0480, 0481	procedure)	03/11/21	
		Comprehensive electrophysiologic evaluation including insertion and		
		repositioning of multiple electrode catheters with induction or attempted		
		induction of arrhythmia; with left ventricular pacing and recording (List		
93622	0480, 0481	separately in addition to code for primary procedure)	03/11/21	
		Programmed stimulation and pacing after intravenous drug infusion (List		
93623	0480, 0481	separately in addition to code for primary procedure)	03/11/21	
		Electrophysiologic follow-up study with pacing and recording to test		
		effectiveness of therapy, including induction or attempted induction of		
93624	0480	arrhythmia	03/11/21	
		Intra-operative epicardial and endocardial pacing and mapping to localize		
93631	0480, 0481	the site of tachycardia or zone of slow conduction for surgical correction	03/11/21	
		Intracardiac catheter ablation of atrioventricular node function,		
		atrioventricular conduction for creation of complete heart block, with or		
93650	0480, 0481	without temporary pacemaker placement	03/11/21	
		Comprehensive electrophysiologic evaluation including insertion and		
		repositioning of multiple electrode catheters with induction or attempted		
		induction of an arrhythmia with right atrial pacing and recording, right		
		ventricular pacing and recording (when necessary), and His bundle recording		
		(when necessary) with intracardiac catheter ablation of arrhythmogenic		
		focus; with treatment of supraventricular tachycardia by ablation of fast or		
		slow atrioventricular pathway, accessory atrioventricular connection, cavo-		
93653	0480, 0481	tricuspid isthmus or other single atrial focus or source of atrial re-entry	03/11/21	

		Comprehensive electrophysiologic evaluation including insertion and	
		repositioning of multiple electrode catheters with induction or attempted	
		induction of an arrhythmia with right atrial pacing and recording, right	
		ventricular pacing and recording (when necessary), and His bundle recording	
		(when necessary) with intracardiac catheter ablation of arrhythmogenic	
		focus; with treatment of ventricular tachycardia or focus of ventricular	
		ectopy including intracardiac electrophysiologic 3D mapping, when	
93654	0480, 0481	performed, and left ventricular pacing and recording, when performed	03/11/21
		Intracardiac catheter ablation of a discrete mechanism of arrhythmia which is	
		distinct from the primary ablated mechanism, including repeat diagnostic	
		maneuvers, to treat a spontaneous or induced arrhythmia (List separately in	
93655	0480, 0481	addition to code for primary procedure)	03/11/21
		Comprehensive electrophysiologic evaluation including transseptal	
		catheterizations, insertion and repositioning of multiple electrode catheters	
		with induction or attempted induction of an arrhythmia including left or right	
		atrial pacing/recording when necessary, right ventricular pacing/recording	
		when necessary, and His bundle recording when necessary with intracardiac	
93656	0480, 0481	catheter ablation of atrial fibrillation by pulmonary vein isolation	03/11/21
		Additional linear or focal intracardiac catheter ablation of the left or right	
		atrium for treatment of atrial fibrillation remaining after completion of	
		pulmonary vein isolation (List separately in addition to code for primary	
93657	0480, 0481	procedure)	03/11/21
		Intracardiac echocardiography during therapeutic/diagnostic intervention,	
		including imaging supervision and interpretation (List separately in addition	
93662	0480, 0482	to code for primary procedure)	03/11/21
		Physician or other qualified health care professional services for outpatient	
93797	0943	cardiac rehabilitation; without continuous ECG monitoring (per session)	03/11/21
		Physician or other qualified health care professional services for outpatient	
93798	0943	cardiac rehabilitation; with continuous ECG monitoring (per session)	03/11/21
		Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts;	
93978	0921, 0929	complete study	03/11/21
		Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts;	
93979	0921, 0929	unilateral or limited study	03/11/21
		Ventilation assist and management, initiation of pressure or volume preset	
		ventilators for assisted or controlled breathing; hospital	
94002	0410, 0419	inpatient/observation, initial day	03/11/21

		Ventilation assist and management, initiation of pressure or volume preset	
		ventilators for assisted or controlled breathing; hospital	
94003	0410, 0419	inpatient/observation, each subsequent day	03/11/21
	,	Spirometry, including graphic record, total and timed vital capacity,	
		expiratory flow rate measurement(s), with or without maximal voluntary	
94010	0460, 0469	ventilation	03/11/21
		Measurement of spirometric forced expiratory flows in an infant or child	
94011	0460, 0469	through 2 years of age	03/11/21
		Measurement of spirometric forced expiratory flows, before and after	
94012	0460, 0469	bronchodilator, in an infant or child through 2 years of age	03/11/21
		Measurement of lung volumes (ie, functional residual capacity [FRC], forced	
		vital capacity [FVC], and expiratory reserve volume [ERV]) in an infant or	
94013	0460, 0469	child through 2 years of age	03/11/21
		Bronchodilation responsiveness, spirometry as in 94010, pre- and post-	
94060	0460, 0469	bronchodilator administration	03/11/21
		Bronchospasm provocation evaluation, multiple spirometric determinations	
94070	0460, 0469	as in 94010, with administered agents (eg, antigen[s], cold air, methacholine)	03/11/21
94150	0460, 0469	Vital capacity, total (separate procedure)	03/11/21
94200	0460, 0469	Maximum breathing capacity, maximal voluntary ventilation	03/11/21
94375	0460, 0469	Respiratory flow volume loop	03/11/21
94450	0460, 0469	Breathing response to hypoxia (hypoxia response curve)	03/11/21
		Intrapulmonary surfactant administration by a physician or other qualified	
94610	0460, 0469	health care professional through endotracheal tube	03/11/21
		Cardiopulmonary exercise testing, including measurements of minute	
94621	0460, 0469, 0482	ventilation, CO2 production, O2 uptake, and electrocardiographic recordings	03/11/21
		Pressurized or nonpressurized inhalation treatment for acute airway	
		obstruction for therapeutic purposes and/or for diagnostic purposes such as	
0.4.5.4.0		sputum induction with an aerosol generator, nebulizer, metered dose inhaler	00/44/94
94640	0410, 0412, 0419	or intermittent positive pressure breathing (IPPB) device	03/11/21
0.4.5.4.4		Continuous inhalation treatment with aerosol medication for acute airway	00/44/94
94644	0410, 0412, 0419	obstruction; first hour	03/11/21
		Continuous inhalation treatment with aerosol medication for acute airway	
04645	0410 0412 0410	obstruction; each additional hour (List separately in addition to code for	02/11/21
94645	0410, 0412, 0419	primary procedure)	03/11/21
04660	0410 0412 0410	Continuous positive airway pressure ventilation (CPAP), initiation and	02/11/21
94660	0410, 0412, 0419	management (CNR) initiation of the control of the c	03/11/21
94662	0410, 0412, 0419	Continuous negative pressure ventilation (CNP), initiation and management	03/11/21

		Demonstration and/or evaluation of patient utilization of an aerosol	
94664	0410, 0412, 0419	generator, nebulizer, metered dose inhaler or IPPB device	03/11/21
		Manipulation chest wall, such as cupping, percussing, and vibration to	
94667	0410, 0412, 0419	facilitate lung function; initial demonstration and/or evaluation	03/11/21
		Manipulation chest wall, such as cupping, percussing, and vibration to	
94668	0410, 0412, 0419	facilitate lung function; subsequent	03/11/21
94669	0410, 0412, 0419	Mechanical chest wall oscillation to facilitate lung function, per session	03/11/21
		Plethysmography for determination of lung volumes and, when performed,	
94726	0460, 0469	airway resistance	03/11/21
		Gas dilution or washout for determination of lung volumes and, when	
94727	0460, 0469	performed, distribution of ventilation and closing volumes	03/11/21
94728	0460, 0469	Airway resistance by oscillometry	03/11/21
		Diffusing capacity (eg, carbon monoxide, membrane) (List separately in	
94729	0460, 0469	addition to code for primary procedure)	03/11/21
		Noninvasive ear or pulse oximetry for oxygen saturation; single	
94760	0460, 0469	determination	03/11/21
		Noninvasive ear or pulse oximetry for oxygen saturation; multiple	
94761	0460, 0469	determinations (eg, during exercise)	03/11/21
		Noninvasive ear or pulse oximetry for oxygen saturation; by continuous	
94762	0460, 0469	overnight monitoring (separate procedure)	03/11/21
		Testing of autonomic nervous system function; combined parasympathetic	
		and sympathetic adrenergic function testing with at least 5 minutes of	
95924	0922, 0929	passive tilt	03/11/21
		Simultaneous, independent, quantitative measures of both parasympathetic	
		function and sympathetic function, based on time-frequency analysis of heart	
		rate variability concurrent with time-frequency analysis of continuous	
		respiratory activity, with mean heart rate and blood pressure measures,	
		during rest, paced (deep) breathing, Valsalva maneuvers, and head-up	
95943	0922, 0929	postural change	03/11/21
	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,		
	0526, 0529, 0920,	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify	
96365	0940,	substance or drug); initial, up to 1 hour	03/11/21

	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify	
	0526, 0529, 0920,	substance or drug); each additional hour (List separately in addition to code	
96366	0940,	for primary procedure)	03/11/21
	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify	
	0526, 0529, 0920,	substance or drug); additional sequential infusion of a new drug/substance,	
96367	0940,	up to 1 hour (List separately in addition to code for primary procedure)	03/11/21
	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,	Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify	
	0526, 0529, 0920,	substance or drug); concurrent infusion (List separately in addition to code	
96368	0940,	for primary procedure)	03/11/21
	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,	Subcutaneous infusion for therapy or prophylaxis (specify substance or	
	0526, 0529, 0920,	drug); initial, up to 1 hour, including pump set-up and establishment of	
96369	0940,	subcutaneous infusion site(s)	03/11/21
7 00 07	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,	Subcutaneous infusion for therapy or prophylaxis (specify substance or	
	0526, 0529, 0920,	drug); each additional hour (List separately in addition to code for primary	
96370	0940,	procedure)	03/11/21
	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,	Subcutaneous infusion for therapy or prophylaxis (specify substance or	
	0526, 0529, 0920,	drug); additional pump set-up with establishment of new subcutaneous	
96371	0940,	infusion site(s) (List separately in addition to code for primary procedure)	03/11/21
	1 '	1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V	1

MaineCare COVID-19 Billing Codes

	0260, 0361, 0450,		
	0510, 0511, 0514,		
	0515, 0516, 0517,		
	0519, 0520, 0523,		
	0519, 0520, 0523, 0526, 0529, 0761,	Therapeutic, prophylactic, or diagnostic injection (specify substance or	
96372	0920, 0940,	drug); subcutaneous or intramuscular	03/11/21
90312	0260, 0361, 0450,	drug), subcutaneous of intramuscular	03/11/21
	0510, 0511, 0514,		
	1 ' ' '		
	0515, 0516, 0517, 0519, 0520, 0523,		
		Thereprove a manhylactic on diagnostic injection (specify substance or	
06272	0526, 0529, 0920,	Therapeutic, prophylactic, or diagnostic injection (specify substance or	02/11/21
96373	0940,	drug); intra-arterial	03/11/21
	0360, 0361, 0450,		
	0510, 0515, 0516,		
0.6077	0517, 0519, 0761,	Application of on-body injector (includes cannula insertion) for timed	00/41/01
96377	0920, 0940	subcutaneous injection	03/11/21
	0260, 0335, 0450,		
	0510, 0514, 0515,		
	0516, 0517, 0519,		
96521	0761, 0940, 0949	Refilling and maintenance of portable pump	03/11/21
	0260, 0335, 0450,		
	0510, 0514, 0515,		
	0516, 0517, 0519,	Refilling and maintenance of implantable pump or reservoir for drug	
96522	0761, 0940, 0949	delivery, systemic (eg, intravenous, intra-arterial)	03/11/21
	0260, 0335, 0450,		
	0510, 0514, 0515,		
	0516, 0517, 0519,		
96523	0761, 0940, 0949	Irrigation of implanted venous access device for drug delivery systems	03/11/21

		Observation or inpatient hospital care, for the evaluation and management of		
		a patient including admission and discharge on the same date, which requires		
		these 3 key components: A detailed or comprehensive history; A detailed or		
		comprehensive examination; and Medical decision making that is		
		straightforward or of low complexity.		
		Counseling and/or coordination of care with other physicians, other qualified		
		health care professionals, or agencies are provided consistent with the nature		
		of the problem(s) and the patient's and/or family's needs. Usually the		
		presenting problem(s) requiring admission are of low severity. Typically, 40		
99234	0657, 0762, 0987	minutes are spent at the bedside and on the patient's hospital floor or unit.	03/11/21	
		Observation or inpatient hospital care, for the evaluation and management of		
		a patient including admission and discharge on the same date, which requires		
		these 3 key components: A comprehensive history; A comprehensive		
		examination; and Medical decision making of moderate complexity.		
		Counseling and/or coordination of care with other physicians, other qualified		
		health care professionals, or agencies are provided consistent with the nature		
		of the problem(s) and the patient's and/or family's needs. Usually the		
		presenting problem(s) requiring admission are of moderate severity.		
00005	0.555 0550 0005	Typically, 50 minutes are spent at the bedside and on the patient's hospital	00/11/01	
99235	0657, 0762, 0987	floor or unit.	03/11/21	
		Observation or inpatient hospital care, for the evaluation and management of		
		a patient including admission and discharge on the same date, which requires		
		these 3 key components: A comprehensive history; A comprehensive		
		examination; and Medical decision making of high complexity. Counseling		
		and/or coordination of care with other physicians, other qualified health care		
		professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually the presenting		
		problem(s) requiring admission are of high severity. Typically, 55 minutes		
99236	0657, 0762, 0987	are spent at the bedside and on the patient's hospital floor or unit.	03/11/21	
99238	0657, 0702, 0787	Hospital discharge day management; 30 minutes or less	03/11/21	
99239	0657, 0987	Hospital discharge day management; more than 30 minutes	03/11/21	
7,23,	0450, 0452, 0456,	2205/2002 0.000 day management, more than 00 minutes	00/11/21	
	0459, 0510, 0512,	Prolonged service(s) in the outpatient setting requiring direct patient contact		
	0513, 0514, 0515,	beyond the time of the usual service; first hour (List separately in addition to		
	0516, 0517, 0519,	code for outpatient Evaluation and Management or psychotherapy service,		
	0520, 0526, 0529,	except with office or other outpatient services [99202, 99203, 99204, 99205,		
99354	0657, 0761, 0900	99212, 99213, 99214, 99215])	03/11/21	

	0450, 0452, 0456,		
	0459, 0510, 0512,		
	0513, 0514, 0515,		
	0516, 0517, 0519,	Prolonged service(s) in the outpatient setting requiring direct patient contact	
	0520, 0526, 0529,	beyond the time of the usual service; each additional 30 minutes (List	
99355	0657, 0761, 0900	separately in addition to code for prolonged service)	03/11/21
77333	0037, 0701, 0700	Prolonged service in the inpatient or observation setting, requiring unit/floor	03/11/21
		time beyond the usual service; first hour (List separately in addition to code	
99356	0987	for inpatient or observation Evaluation and Management service)	03/11/21
77330	0701	Prolonged service in the inpatient or observation setting, requiring unit/floor	03/11/21
		time beyond the usual service; each additional 30 minutes (List separately in	
99357	0987	addition to code for prolonged service)	03/11/21
77331	0450, 0452, 0456,	dudition to code for protonged service)	03/11/21
	0459, 0510, 0520,		
	0657, 0960, 0969,		
	0981, 0982, 0983,	Prolonged evaluation and management service before and/or after direct	
99358	0987, 0988	patient care; first hour	03/11/21
77000	0450, 0452, 0456,	punton ture, mour	36/11/21
	0459, 0510, 0512,		
	0513, 0514, 0515,		
	0516, 0517, 0519,	Prolonged evaluation and management service before and/or after direct	
	0520, 0529, 0657,	patient care; each additional 30 minutes (List separately in addition to code	
99359	0960, 0969, 0981	for prolonged service)	03/11/21
		Interprofessional telephone/Internet/electronic health record assessment and	
		management service provided by a consultative physician, including a verbal	
		and written report to the patient's treating/requesting physician or other	
		qualified health care professional; 5-10 minutes of medical consultative	
99446	0988	discussion and review	03/11/21
		Interprofessional telephone/Internet/electronic health record assessment and	
		management service provided by a consultative physician, including a verbal	
		and written report to the patient's treating/requesting physician or other	
		qualified health care professional; 11-20 minutes of medical consultative	
99447	0988	discussion and review	03/11/21

		Interprofessional telephone/Internet/electronic health record assessment and	
		management service provided by a consultative physician, including a verbal	
		and written report to the patient's treating/requesting physician or other	
		qualified health care professional; 21-30 minutes of medical consultative	
99448	0988	discussion and review	03/11/21
77770	0700	Interprofessional telephone/Internet/electronic health record assessment and	03/11/21
		management service provided by a consultative physician, including a verbal	
		and written report to the patient's treating/requesting physician or other	
		qualified health care professional; 31 minutes or more of medical	
99449	0988	consultative discussion and review	03/11/21
77117	0700	Interprofessional telephone/Internet/electronic health record assessment and	03/11/21
		management service provided by a consultative physician, including a	
		written report to the patient's treating/requesting physician or other qualified	
99451	0988	health care professional, 5 minutes or more of medical consultative time	03/11/21
77 101	0,00	Interprofessional telephone/Internet/electronic health record referral	00/11/21
		service(s) provided by a treating/requesting physician or other qualified	
99452	0988	health care professional, 30 minutes	03/11/21
77 15 =	0456, 0510, 0516,	Remote monitoring of physiologic parameter(s) (eg, weight, blood pressure,	
	0517, 0519, 0520,	pulse oximetry, respiratory flow rate), initial; device(s) supply with daily	
99454	0920	recording(s) or programmed alert(s) transmission, each 30 days	03/11/21
		Delivery/birthing room resuscitation, provision of positive pressure	
		ventilation and/or chest compressions in the presence of acute inadequate	
99465	0722, 0724, 0987	ventilation and/or cardiac output	03/11/21
		Initial inpatient neonatal critical care, per day, for the evaluation and	
99468	0987	management of a critically ill neonate, 28 days of age or younger	03/11/21
		Subsequent inpatient neonatal critical care, per day, for the evaluation and	
99469	0987	management of a critically ill neonate, 28 days of age or younger	03/11/21
		Initial inpatient pediatric critical care, per day, for the evaluation and	
		management of a critically ill infant or young child, 29 days through 24	
99471	0987	months of age	03/11/21
		Subsequent inpatient pediatric critical care, per day, for the evaluation and	
		management of a critically ill infant or young child, 29 days through 24	
99472	0987	months of age	03/11/21
		Initial inpatient pediatric critical care, per day, for the evaluation and	
99475	0987	management of a critically ill infant or young child, 2 through 5 years of age	03/11/21
		Subsequent inpatient pediatric critical care, per day, for the evaluation and	
99476	0987	management of a critically ill infant or young child, 2 through 5 years of age	03/11/21

		Subsequent intensive care, per day, for the evaluation and management of	
		the recovering low birth weight infant (present body weight of 1500-2500	
99479	0987		02/11/21
99479	0987	grams)	03/11/21
00.400	0007	Subsequent intensive care, per day, for the evaluation and management of	00/11/01
99480	0987	the recovering infant (present body weight of 2501-5000 grams)	03/11/21
		Supervision by a control physician of interfacility transport care of the	
		critically ill or critically injured pediatric patient, 24 months of age or	
		younger, includes two-way communication with transport team before	
		transport, at the referring facility and during the transport, including data	
99485	0450, 0981	interpretation and report; first 30 minutes	03/11/21
		Supervision by a control physician of interfacility transport care of the	
		critically ill or critically injured pediatric patient, 24 months of age or	
		younger, includes two-way communication with transport team before	
		transport, at the referring facility and during the transport, including data	
		interpretation and report; each additional 30 minutes (List separately in	
99486	0450, 0981	addition to code for primary procedure)	03/11/21
		Transitional Care Management Services with the following required	
		elements:	
		Communication (direct contact, telephone, electronic) with the patient and/or	
		caregiver within 2 business days of discharge	
	0510, 0512, 0513,	Medical decision making of at least moderate complexity during the service	
	0514, 0515, 0517,	period	
99495	0519, 0520, 0521	Face-to-face visit, within 14 calendar days of discharge	03/11/21
		Transitional Care Management Services with the following required	
		elements:	
		Communication (direct contact, telephone, electronic) with the patient and/or	
	0510, 0512, 0513,	caregiver within 2 business days of discharge	
	0514, 0515, 0517,	Medical decision making of high complexity during the service period	
99496	0519, 0520, 0521	Face-to-face visit, within 7 calendar days of discharge	03/11/21
	0510, 0512, 0513,	Advance care planning including the explanation and discussion of advance	
	0514, 0515, 0517,	directives such as standard forms (with completion of such forms, when	
	0519, 0520, 0521,	performed), by the physician or other qualified health care professional; first	
99497	0770, 0969	30 minutes, face-to-face with the patient, family member(s), and/or surrogate	03/11/21

	0550, 0551, 0552,		
	0559, 0570, 0571,		
	0572, 0579, 0580,		
	0581, 0582, 0583,		
99601	0589, 0590	Home infusion/specialty drug administration, per visit (up to 2 hours)	03/11/21
	0550, 0551, 0552,		
	0559, 0570, 0571,	Home infusion/specialty drug administration, per visit (up to 2 hours); each	
99602	0572, 0579	additional hour (List separately in addition to code for primary procedure)	03/11/21
	0360, 0361, 0450,	Insertion of chest wall respiratory sensor electrode or electrode array,	
	0510, 0515, 0516,	including connection to pulse generator (List separately in addition to code	
0466T	0517, 0519, 0761	for primary procedure)	03/11/21
A4218	0272	Sterile saline or water, metered dose dispenser, 10 ml	03/11/21
A4483	0272	Moisture exchanger, disposable, for use with invasive mechanical ventilation	03/11/21
A4605	0271, 0294	Tracheal suction catheter, closed system, each	03/11/21
A4615	0271, 0294	Cannula, nasal	03/11/21
A4616	0271, 0294	Tubing (oxygen), per foot	03/11/21
A4617	0271, 0294	Mouth piece	03/11/21
A4618	0271, 0294	Breathing circuits	03/11/21
A4619	0271, 0294	Face tent	03/11/21
A4620	0271, 0294	Variable concentration mask	03/11/21
A4624	0271, 0294	Tracheal suction catheter, any type other than closed system, each	03/11/21
		Spacer, bag or reservoir, with or without mask, for use with metered dose	
A4627	0271	inhaler	03/11/21
A4628	0271, 0294	Oropharyngeal suction catheter, each	03/11/21
	0272, 0822, 0832,		
A4657	0842, 0852	Syringe, with or without needle, each	03/11/21
	0822, 0832, 0842,		
A4928	0852	Surgical mask, per 20	03/11/21
	0272, 0822, 0832,		
A4931	0842, 0852	Oral thermometer, reusable, any type, each	03/11/21
A4932	0294	Rectal thermometer, reusable, any type, each	03/11/21
		Housing and integrated adhesive, for use in a tracheostoma heat and	
A7508	0274	moisture exchange system and/or with a tracheostoma valve, each	03/11/21
		Filter holder and integrated filter housing, and adhesive, for use as a	
A7509	0274	tracheostoma heat and moisture exchange system, each	03/11/21
		Catheter, infusion, inserted peripherally, centrally or midline (other than	
C1751	0278	hemodialysis)	03/11/21

	0271 0601 0602	Stationary compressed gaseous oxygen system, rental; includes container,		
E0404	0271, 0601, 0602,	contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and	02/11/01	
E0424	0603	tubing	03/11/21	
E0.404	0271, 0601, 0602,	Portable gaseous oxygen system, rental; includes portable container,	00/11/01	
E0431	0603	regulator, flowmeter, humidifier, cannula or mask, and tubing	03/11/21	
		Portable liquid oxygen system, rental; includes portable container, supply		
	0271, 0601, 0602,	reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or		
E0434	0603	mask, and tubing	03/11/21	
	0271, 0601, 0602,	Stationary liquid oxygen system, rental; includes container, contents,		
E0439	0603	regulator, flowmeter, humidifier, nebulizer, cannula or mask, & tubing	03/11/21	
	0271, 0601, 0602,			
E0441	0603	Stationary oxygen contents, gaseous, 1 month's supply = 1 unit	03/11/21	
	0271, 0601, 0602,			
E0442	0603	Stationary oxygen contents, liquid, 1 month's supply = 1 unit	03/11/21	
	0271, 0601, 0602,			
E0443	0603	Portable oxygen contents, gaseous, 1 month's supply = 1 unit	03/11/21	
	0271, 0601, 0602,			
E0444	0603	Portable oxygen contents, liquid, 1 month's supply = 1 unit	03/11/21	
	0271, 0601, 0602,			
E0445	0603	Oximeter device for measuring blood oxygen levels noninvasively	03/11/21	
E0455	0271, 0294	Oxygen tent, excluding croup or pediatric tents	03/11/21	
		Home ventilator, any type, used with invasive interface, (e.g., tracheostomy		
E0465	0271, 0294	tube)	03/11/21	
		Home ventilator, any type, used with non-invasive interface, (e.g., mask,		
E0466	0271, 0294	chest shell)	03/11/21	
		Home ventilator, multi-function respiratory device, also performs any or all		
		of the additional functions of oxygen concentration, drug nebulization,		
		aspiration, and cough stimulation, includes all accessories, components and		
E0467	0292	supplies for all functions	03/11/21	
		Respiratory assist device, bi-level pressure capability, without backup rate		
	0271, 0291, 0292,	feature, used with noninvasive interface, e.g., nasal or facial mask		
E0470	0293	(intermittent assist device with continuous positive airway pressure device)	03/11/21	
		Respiratory assist device, bi-level pressure capability, with back-up rate		
	0271, 0291, 0292,	feature, used with noninvasive interface, e.g., nasal or facial mask		
E0471	0293	(intermittent assist device with continuous positive airway pressure device)	03/11/21	
	1-75	(probable device)	00,11,21	

		Respiratory assist device, bi-level pressure capability, with backup rate	
	0271, 0291, 0292,	feature, used with invasive interface, e.g., tracheostomy tube (intermittent	
E0472	0293	assist device with continuous positive airway pressure device)	03/11/21
	0271, 0291, 0292,	IPPB machine, all types, with built-in nebulization; manual or automatic	
E0500	0293	valves; internal or external power source	03/11/21
	0271, 0291, 0292,	Humidifier, durable for extensive supplemental humidification during IPPB	
E0550	0293	treatments or oxygen delivery	03/11/21
	0271, 0291, 0292,	Humidifier, durable, glass or autoclavable plastic bottle type, for use with	
E0555	0293	regulator or flowmeter	03/11/21
	0271, 0291, 0292,	Humidifier, durable for supplemental humidification during IPPB treatment	
E0560	0293	or oxygen delivery	03/11/21
	0271, 0291, 0292,	Compressor, air power source for equipment which is not self- contained or	
E0565	0293	cylinder driven	03/11/21
	0271, 0291, 0292,		
E0570	0293	Nebulizer, with compressor	03/11/21
	0271, 0291, 0292,		
E0572	0293	Aerosol compressor, adjustable pressure, light duty for intermittent use	03/11/21
	0271, 0291, 0292,		
E0574	0293	Ultrasonic/electronic aerosol generator with small volume nebulizer	03/11/21
	0271, 0291, 0292,		
E0575	0293	Nebulizer, ultrasonic, large volume	03/11/21
	0271, 0291, 0292,	Nebulizer, durable, glass or autoclavable plastic, bottle type, for use with	
E0580	0293	regulator or flowmeter	03/11/21
	0271, 0291, 0292,		
E0585	0293	Nebulizer, with compressor and heater	03/11/21
	0271, 0291, 0292,		
E0600	0293	Respiratory suction pump, home model, portable or stationary, electric	03/11/21
	0271, 0291, 0292,		
E0605	0293	Vaporizer, room type	03/11/21
E1352	0271, 0294	Oxygen accessory, flow regulator capable of positive inspiratory pressure	03/11/21
	0271, 0294, 0600,		
	0601, 0602, 0603,		
E1353	0604, 0609	Regulator	03/11/21
	0271, 0294, 0600,		
	0601, 0602, 0603,		
E1372	0604, 0609	Immersion external heater for nebulizer	03/11/21

	0271, 0294, 0600,		
	0601, 0602, 0603,	Oxygen concentrator, single delivery port, capable of delivering 85 percent	
E1390	0604, 0609		03/11/21
E1390	'	or greater oxygen concentration at the prescribed flow rate	03/11/21
	0271, 0294, 0600,		
F1201	0601, 0602, 0603,	Oxygen concentrator, dual delivery port, capable of delivering 85 percent or	00/11/01
E1391	0604, 0609	greater oxygen concentration at the prescribed flow rate, each	03/11/21
	0271, 0294, 0600,		
	0601, 0602, 0603,		
E1392	0604, 0609	Portable oxygen concentrator, rental	03/11/21
E2208	0271, 0294	Wheelchair accessory, cylinder tank carrier, each	03/11/21
K0730	0271, 0294	Controlled dose inhalation drug delivery system	03/11/21
	0271, 0291, 0292,		
	0293, 0600, 0601,	Portable gaseous oxygen system, rental; home compressor used to fill	
	0602, 0603, 0604,	portable oxygen cylinders; includes portable containers, regulator,	
K0738	0609, 0946	flowmeter, humidifier, cannula or mask, and tubing	03/11/21
G0008	0771	Administration of influenza virus vaccine	03/11/21
G0009	0771	Administration of pneumococcal vaccine	03/11/21
		Federally qualified health center (FQHC) visit, new patient; a medically-	
		necessary, face-to-face encounter (one-on-one) between a new patient and a	
		FQHC practitioner during which time one or more FQHC services are	
	0521, 0522, 0524,	rendered and includes a typical bundle of Medicare-covered services that	
G0466	0525, 0527, 0528	would be furnished per diem to a patient receiving a FQHC visit	03/11/21
	, ,	Federally qualified health center (FQHC) visit, established patient; a	
		medically-necessary, face-to-face encounter (one-on-one) between an	
		established patient and a FQHC practitioner during which time one or more	
		FQHC services are rendered and includes a typical bundle of Medicare-	
	0521, 0522, 0524,	covered services that would be furnished per diem to a patient receiving a	
G0467	0525, 0527, 0528	FQHC visit	03/11/21
00.07		Prolonged office or other outpatient evaluation and management service(s)	00/11/21
		beyond the maximum required time of the primary procedure which has	
		been selected using total time on the date of the primary service; each	
		additional 15 minutes by the physician or qualified healthcare professional,	
		with or without direct patient contact (list separately in addition to CPT	
		codes 99205, 99215 for office or other outpatient evaluation and	
	0510, 0513, 0516,	management services) (do not report g2212 on the same date of service as	
	0510, 0513, 0510, 0517, 0519, 0520,	99354, 99355, 99358, 99359, 99415, 99416). (do not report g2212 for any	
G2212	0526, 0529	time unit less than 15 minutes)	03/11/21
UZZIZ	0320, 0329	time unit less than 13 influtes)	03/11/21

J0278	0250, 0636	Injection, amikacin sulfate, 100 mg	03/11/21
J0290	0250, 0636	Injection, ampicillin sodium, 500 mg	03/11/21
J0295	0250, 0636	Injection, ampicillin sodium/sulbactam sodium, per 1.5 gm	03/11/21
J0740	0250, 0636	Injection, cidofovir, 375 mg	03/11/21
J1180	0250, 0636	Injection, dyphylline, up to 500 mg	03/11/21
J1335	0250, 0636	Injection, ertapenem sodium, 500 mg	03/11/21
J1364	0636	Injection, erythromycin lactobionate, per 500 mg	03/11/21
		Injection, immune globulin (Privigen), intravenous, non-lyophilized (e.g.,	
J1459	0636	liquid), 500 mg	03/11/21
J1460	0636	Injection, gamma globulin, intramuscular, 1 cc	03/11/21
J1556	0636	Injection, immune globulin (bivigam), 500 mg	03/11/21
J1559	0636	Injection, immune globulin (Hizentra), 100 mg	03/11/21
J1560	0636	Injection, gamma globulin, intramuscular, over 10 cc	03/11/21
		Injection, immune globulin, (Gamunex-C/Gammaked), non-lyophilized	
J1561	0636	(e.g., liquid), 500 mg	03/11/21
J1562	0636	Injection, immune globulin (Vivaglobin), 100 mg	03/11/21
		Injection, immune globulin, intravenous, lyophilized (e.g., powder), not	
J1566	0636	otherwise specified, 500 mg	03/11/21
		Injection, immune globulin, (Octagam), intravenous, non-lyophilized (e.g.,	
J1568	0636	liquid), 500 mg	03/11/21
		Injection, immune globulin, (Gammagard liquid), non-lyophilized, (e.g.,	
J1569	0636	liquid), 500 mg	03/11/21
		Injection, immune globulin, (Flebogamma/Flebogamma Dif), intravenous,	
J1572	0636	non-lyophilized (e.g., liquid), 500 mg	03/11/21
		Injection, immune globulin/hyaluronidase, (HYQVIA), 100 mg	
J1575	0636	immuneglobulin	03/11/21
J1580	0250, 0636	Injection, garamycin, gentamicin, up to 80 mg	03/11/21
J1840	0250, 0636	Injection, kanamycin sulfate, up to 500 mg	03/11/21
J1850	0636	Injection, kanamycin sulfate, up to 75 mg	03/11/21
J2010	0250, 0636	Injection, lincomycin HCl, up to 300 mg	03/11/21
J2250	0250, 0636	Injection, midazolam hydrochloride, per 1 mg	03/11/21
J2510	0250, 0636	Injection, penicillin G procaine, aqueous, up to 600, 000 units	03/11/21
J2540	0250, 0636	Injection, penicillin G potassium, up to 600, 000 units	03/11/21
		Injection, piperacillin sodium/tazobactam sodium, 1 gram/0.125 grams	
J2543	0250, 0636	(1.125 grams)	03/11/21

		Pentamidine isethionate, inhalation solution, FDA-approved final product,		
J2545	0636	non-compounded, administered through DME, unit dose form, per 300 mg	03/11/21	
J2700	0250, 0636	Injection, oxacillin sodium, up to 250 mg	03/11/21	
J2810	0250, 0636	Injection, theophylline, per 40 mg	03/11/21	
J3000	0250, 0636	Injection, streptomycin, up to 1 gm	03/11/21	
J3105	0250, 0636	Injection, terbutaline sulfate, up to 1 mg	03/11/21	
J3260	0250, 0636	Injection, tobramycin sulfate, up to 80 mg	03/11/21	
J3285	0636	Injection, treprostinil, 1 mg	03/11/21	
J3320	0636	Injection, spectinomycin dihydrochloride, up to 2 gm	03/11/21	
J7510	0250, 0636	Prednisolone oral, per 5 mg	03/11/21	
J7512	0250, 0636	Prednisone, immediate release or delayed release, oral, 1 mg	03/11/21	
		Acetylcysteine, inhalation solution, compounded product, administered		
J7604	0294	through DME, unit dose form, per gram	03/11/21	
		Acetylcysteine, inhalation solution, FDA-approved final product, non-		
J7608	0294	compounded, administered through DME, unit dose form, per gram	03/11/21	
		Albuterol, inhalation solution, compounded product, administered through		
J7609	0294	DME, unit dose, 1 mg	03/11/21	
		Albuterol, inhalation solution, compounded product, administered through		
J7610	0294	DME, concentrated form, 1 mg	03/11/21	
		Albuterol, inhalation solution, FDA-approved final product, non-		
J7611	0294	compounded, administered through DME, concentrated form, 1 mg	03/11/21	
		Levalbuterol, inhalation solution, FDA-approved final product, non-		
J7612	0294	compounded, administered through DME, concentrated form, 0.5 mg	03/11/21	
		Albuterol, inhalation solution, FDA-approved final product, non-		
J7613	0294	compounded, administered through DME, unit dose, 1 mg	03/11/21	
		Levalbuterol, inhalation solution, FDA-approved final product, non-		
J7614	0294	compounded, administered through DME, unit dose, 0.5 mg	03/11/21	
		Levalbuterol, inhalation solution, compounded product, administered		
J7615	0294	through DME, unit dose, 0.5 mg	03/11/21	
		Albuterol, up to 2.5 mg and ipratropium bromide, up to 0.5 mg, FDA-		
J7620	0294	approved final product, non-compounded, administered through DME	03/11/21	
		Budesonide, inhalation solution, FDA-approved final product, non-		
J7626	0294	compounded, administered through DME, unit dose form, up to 0.5 mg	03/11/21	
15.05	0004	Budesonide, inhalation solution, compounded product, administered through	00/11/01	
J7627	0294	DME, unit dose form, up to 0.5 mg	03/11/21	
17.604	0204	Cromolyn sodium, inhalation solution, FDA-approved final product, non-	00/11/01	
J7631	0294	compounded, administered through DME, unit dose form, per 10 milligrams	03/11/21	

		Cromolyn sodium, inhalation solution, compounded product, administered	
J7632	0294	through DME, unit dose form, per 10 milligrams	03/11/21
		Dornase alfa, inhalation solution, FDA-approved final product, non-	
J7639	0294	compounded, administered through DME, unit dose form, per milligram	03/11/21
		Formoterol, inhalation solution, compounded product, administered through	
J7640	0636	DME, unit dose form, 12 micrograms	03/11/21
		Glycopyrrolate, inhalation solution, compounded product, administered	
J7642	0294	through DME, concentrated form, per milligram	03/11/21
		Glycopyrrolate, inhalation solution, compounded product, administered	
J7643	0294	through DME, unit dose form, per milligram	03/11/21
		Ipratropium bromide, inhalation solution, FDA-approved final product, non-	
J7644	0294	compounded, administered through DME, unit dose form, per milligram	03/11/21
		Ipratropium bromide, inhalation solution, compounded product,	
J7645	0294	administered through DME, unit dose form, per milligram	03/11/21
		Isoetharine HCl, inhalation solution, compounded product, administered	
J7650	0294	through DME, unit dose form, per milligram	03/11/21
		Metaproterenol sulfate, inhalation solution, compounded product,	
J7667	0294	concentrated form, per 10 milligrams	03/11/21
		Metaproterenol sulfate, inhalation solution, FDA-approved final product,	
		non-compounded, administered through DME, concentrated form, per 10	
J7668	0294	milligrams	03/11/21
		Metaproterenol sulfate, inhalation solution, FDA-approved final product,	
		non-compounded, administered through DME, unit dose form, per 10	
J7669	0294	milligrams	03/11/21
		Metaproterenol sulfate, inhalation solution, compounded product,	
J7670	0294	administered through DME, unit dose form, per 10 milligrams	03/11/21
		Tobramycin, inhalation solution, FDA-approved final product, non-	
		compounded, unit dose form, administered through DME, per 300	
J7682	0294	milligrams	03/11/21
		Tobramycin, inhalation solution, compounded product, administered through	
J7685	0294	DME, unit dose form, per 300 milligrams	03/11/21
Q5108	0636	Injection, pegfilgrastim-jmdb, biosimilar, (fulphila), 0.5 mg	03/11/21
Q5110	0636	Injection, filgrastim-aafi, biosimilar, (nivestym), 1 microgram	03/11/21
S8096	0290, 0292, 0299	Portable peak flow meter	03/11/21